Cyberscope

Audit Report

DOGE FARM

June 2023

Network BSC

Address 0x4c34a9311f43ed99802ee5ed9b6f254e60d82ae9

Audited by © cyberscope

Analysis

Critical Medium Minor / Informative Pass

Severity	Code	Description	Status
●	ST	Stops Transactions	Passed
●	OTUT	Transfers User's Tokens	Passed
●	ELFM	Exceeds Fees Limit	Passed
●	MT	Mints Tokens	Passed
●	BT	Burns Tokens	Passed
●	BC	Blacklists Addresses	Passed

Diagnostics

Critical Medium Minor / Informative

Severity	Code	Description	Status
	PVC	Price Volatility Concern	Unresolved
	L02	State Variables could be Declared Constant	Unresolved
	L04	Conformance to Solidity Naming Conventions	Unresolved
	L07	Missing Events Arithmetic	Unresolved
	L09	Dead Code Elimination	Unresolved
	L16	Validate Variable Setters	Unresolved
	L17	Usage of Solidity Assembly	Unresolved
	L20	Succeeded Transfer Check	Unresolved

Table of Contents

Analysis 1
Diagnostics 2
Table of Contents 3
Review 4
Audit Updates 4
Source Files 4
Findings Breakdown 5
Findings Breakdown 5
PVC - Price Volatility Concern 6
Description 6
Recommendation 6
L02 - State Variables could be Declared Constant 7
Description 7
Recommendation 7
L04 - Conformance to Solidity Naming Conventions 8
Description 8
Recommendation 8
L07 - Missing Events Arithmetic 10
Description 10
Recommendation 10
L09 - Dead Code Elimination 11
Description 11
Recommendation 12
L16 - Validate Variable Setters 13
Description 13
Recommendation 13
L17 - Usage of Solidity Assembly 14
Description 14
Recommendation 14
L20 - Succeeded Transfer Check 15
Description 15
Recommendation 15
Functions Analysis 16
Inheritance Graph 20
Flow Graph 21
Summary 22
Disclaimer 23
About Cyberscope 24

Review

Contract Name	DOGE_FARM_Token
Compiler Version	v0.8.15+commit.e14f2714
Optimization	200 runs
Explorer	https://bscscan.com/address/0x4c34a9311f43ed99802ee5ed9b6f254e60d82ae9
Address	0x4c34a9311f43ed99802ee5ed9b6f254e60d82ae9
Network	BSC
Symbol	DOGES
Decimals	18
Total Supply	100,000,000,000,000

Audit Updates


Initial Audit	03 Jun 2023

Source Files

Filename	SHA256
DOGE_FARM_Token.sol	63019adc43feac0f5ce37b7247ac9d495e6239dba1377bcfb83b68f263919034

Findings Breakdown

Findings Breakdown



Severity	Unresolved	Acknowledged	Resolved	Other
Critical	0	0	0	0
Medium	0	0	0	0
Minor / Informative	8	0	0	0

PVC - Price Volatility Concern

Criticality	Minor / Informative
Location	DOGE_FARM_Token.sol#L900
Status	Unresolved

Description

The contract accumulates tokens from the taxes to swap them for ETH. The variable `swapTokensAtAmount` sets a threshold where the contract will trigger the swap functionality. If the variable is set to a big number, then the contract will swap a huge amount of tokens for ETH.

It is important to note that the price of the token representing it, can be highly volatile. This means that the value of a price volatility swap involving Ether could fluctuate significantly at the triggered point, potentially leading to significant price volatility for the parties involved.

```
bool canSwap = contractTokenBalance >= swapTokensAtAmount;
```

Recommendation

The contract could ensure that it will not sell more than a reasonable amount of tokens in a single transaction. A suggested implementation could check that the maximum amount should be less than a fixed percentage of the total supply. Hence, the contract will guarantee that it cannot accumulate a huge amount of tokens in order to sell them.

L02 - State Variables could be Declared Constant

Criticality	Minor / Informative
Location	DOGE_FARM_Token.sol#L719
Status	Unresolved

Description

State variables can be declared as constant using the constant keyword. This means that the value of the state variable cannot be changed after it has been set. Additionally, the constant variables decrease gas consumption of the corresponding transaction.

```
address private DEAD = 0x000000000000000000000000000000000000dEaD
```

Recommendation

Constant state variables can be useful when the contract wants to ensure that the value of a state variable cannot be changed by any function in the contract. This can be useful for storing values that are important to the contract's behavior, such as the contract's address or the maximum number of times a certain function can be called. The team is advised to add the constant keyword to state variables that never change.

L04 - Conformance to Solidity Naming Conventions

Criticality	Minor / Informative
Location	DOGE_FARM_Token.sol#L315,316,333,353,706,709,710,719,851,860,874,957,973
Status	Unresolved

Description

The Solidity style guide is a set of guidelines for writing clean and consistent Solidity code. Adhering to a style guide can help improve the readability and maintainability of the Solidity code, making it easier for others to understand and work with.

The followings are a few key points from the Solidity style guide:

1. Use camelCase for function and variable names, with the first letter in lowercase (e.g., myVariable, updateCounter).
2. Use PascalCase for contract, struct, and enum names, with the first letter in uppercase (e.g., MyContract, UserStruct, ErrorEnum).
3. Use uppercase for constant variables and enums (e.g., MAX_VALUE, ERROR_CODE).
4. Use indentation to improve readability and structure.
5. Use spaces between operators and after commas.
6. Use comments to explain the purpose and behavior of the code.
7. Keep lines short (around 120 characters) to improve readability.

```
function DOMAIN_SEPARATOR() external view returns (bytes32);
function PERMIT_TYPEHASH() external pure returns (bytes32);
function MINIMUM_LIQUIDITY() external pure returns (uint);
function WETH() external pure returns (address);

...
```

Recommendation

By following the Solidity naming convention guidelines, the codebase increased the readability, maintainability, and makes it easier to work with.

Find more information on the Solidity documentation
https://docs.soliditylang.org/en/v0.8.17/style-guide.html#naming-convention.

L07 - Missing Events Arithmetic

Criticality	Minor / Informative
Location	DOGE_FARM_Token.sol#L970
Status	Unresolved

Description

Events are a way to record and log information about changes or actions that occur within a contract. They are often used to notify external parties or clients about events that have occurred within the contract, such as the transfer of tokens or the completion of a task.

It's important to carefully design and implement the events in a contract, and to ensure that all required events are included. It's also a good idea to test the contract to ensure that all events are being properly triggered and logged.

```
swapTokensAtAmount = newAmount
```

Recommendation

By including all required events in the contract and thoroughly testing the contract's functionality, the contract ensures that it performs as intended and does not have any missing events that could cause issues with its arithmetic.

L09 - Dead Code Elimination

Criticality	Minor / Informative
Location	DOGE_FARM_Token.sol#L77,101,126,136,155,169,186,196,211,221,236,260,272,664
Status	Unresolved

Description

In Solidity, dead code is code that is written in the contract, but is never executed or reached during normal contract execution. Dead code can occur for a variety of reasons, such as:

- Conditional statements that are always false.
- Functions that are never called.
- Unreachable code (e.g., code that follows a return statement).

Dead code can make a contract more difficult to understand and maintain, and can also increase the size of the contract and the cost of deploying and interacting with it.

```
function isContract(address account) internal view returns (bool) {
        // This method relies on extcodesize/address.code.length,
which returns 0
        // for contracts in construction, since the code is only
stored at the end
        // of the constructor execution.

        return account.code.length > 0;
    }

function sendValue(address payable recipient, uint256 amount)
internal {
        require(address(this).balance >= amount, "Address:
insufficient balance");

        (bool success, ) = recipient.call{value: amount}("");
        require(success, "Address: unable to send value, recipient
may have reverted");
    }

...
```

Recommendation

To avoid creating dead code, it's important to carefully consider the logic and flow of the contract and to remove any code that is not needed or that is never executed. This can help improve the clarity and efficiency of the contract.

L16 - Validate Variable Setters

Criticality	Minor / Informative
Location	DOGE_FARM_Token.sol#L810
Status	Unresolved

Description

The contract performs operations on variables that have been configured on user-supplied input. These variables are missing of proper check for the case where a value is zero. This can lead to problems when the contract is executed, as certain actions may not be properly handled when the value is zero.

```
uniswapV2Pair = _uniswapV2Pair
```

Recommendation

By adding the proper check, the contract will not allow the variables to be configured with zero value. This will ensure that the contract can handle all possible input values and avoid unexpected behavior or errors. Hence, it can help to prevent the contract from being exploited or operating unexpectedly.

L17 - Usage of Solidity Assembly

Criticality	Minor / Informative
Location	DOGE_FARM_Token.sol#L277
Status	Unresolved

Description

Using assembly can be useful for optimizing code, but it can also be error-prone. It's important to carefully test and debug assembly code to ensure that it is correct and does not contain any errors.

Some common types of errors that can occur when using assembly in Solidity include Syntax, Type, Out-of-bounds, Stack, and Revert.

```
assembly {
                let returndata_size := mload(returndata)
                revert(add(32, returndata), returndata_size)
            }
```

Recommendation

It is recommended to use assembly sparingly and only when necessary, as it can be difficult to read and understand compared to Solidity code.

L20 - Succeeded Transfer Check

Criticality	Minor / Informative
Location	DOGE_FARM_Token.sol#L790
Status	Unresolved

Description

According to the ERC20 specification, the transfer methods should be checked if the result is successful. Otherwise, the contract may wrongly assume that the transfer has been established.

```
ERC20token.transfer(msg.sender, balance)
```

Recommendation

The contract should check if the result of the transfer methods is successful. The team is advised to check the SafeERC20 library from the Openzeppelin library.

Functions Analysis


Contract	Type	Bases		
	Function Name	**Visibility**	**Mutability**	**Modifiers**
Context	Implementation			
	_msgSender	Internal		
	_msgData	Internal		
Ownable	Implementation	Context		
		Public	✓	-
	owner	Public		-
	renounceOwnership	Public	✓	onlyOwner
	transferOwnership	Public	✓	onlyOwner
	_transferOwnership	Internal	✓	
Address	Library			
	isContract	Internal		
	sendValue	Internal	✓	
	functionCall	Internal	✓	
	functionCall	Internal	✓	
	functionCallWithValue	Internal	✓	
	functionCallWithValue	Internal	✓	

	functionStaticCall	Internal		
	functionStaticCall	Internal		
	functionDelegateCall	Internal	✓	
	functionDelegateCall	Internal	✓	
	verifyCallResultFromTarget	Internal		
	verifyCallResult	Internal		
	_revert	Private		
ERC20	Implementation	Context, IERC20, IERC20Metadata		
		Public	✓	-
	name	Public		-
	symbol	Public		-
	decimals	Public		-
	totalSupply	Public		-
	balanceOf	Public		-
	transfer	Public	✓	-
	allowance	Public		-
	approve	Public	✓	-
	transferFrom	Public	✓	-
	increaseAllowance	Public	✓	-
	decreaseAllowance	Public	✓	-
	_transfer	Internal	✓	


	_mint	Internal	✓	
	_burn	Internal	✓	
	_approve	Internal	✓	
	_beforeTokenTransfer	Internal	✓	
	_afterTokenTransfer	Internal	✓	
DOGE_FARM_Token	Implementation	ERC20, Ownable		
		Public	✓	ERC20
		External	Payable	-
	changeOperator	Public	✓	onlyOperator
	claimStuckTokens	External	✓	onlyOwner
	isContract	Internal		
	updateUniswapV2Router	External	✓	onlyOperator
	setAutomatedMarketMakerPair	External	✓	onlyOperator
	_setAutomatedMarketMakerPair	Private	✓	
	excludeFromFees	External	✓	onlyOwner
	isExcludedFromFees	Public		-
	updateBuyFees	External	✓	onlyOwner
	updateSellFees	External	✓	onlyOwner
	enableWalletToWalletTransferWithoutFee	External	✓	onlyOwner
	changeMarketingWallet	External	✓	onlyOwner
	_transfer	Internal	✓	
	setSwapEnabled	External	✓	onlyOwner

	setSwapTokensAtAmount	External	✓	onlyOwner
	setSwapWithLimit	External	✓	onlyOwner

Inheritance Graph



Flow Graph



Summary

DOGE FARM contract implements a token mechanism. This audit investigates security issues, business logic concerns and potential improvements. DOGE FARM is an interesting project that has a friendly and growing community. The Smart Contract analysis reported no compiler error or critical issues. The contract Owner can access some admin functions that can not be used in a malicious way to disturb the users' transactions. There is also a limit of max 3% fees.

Disclaimer

The information provided in this report does not constitute investment, financial or trading advice and you should not treat any of the document's content as such. This report may not be transmitted, disclosed, referred to or relied upon by any person for any purposes nor may copies be delivered to any other person other than the Company without Cyberscope's prior written consent. This report is not nor should be considered an "endorsement" or "disapproval" of any particular project or team. This report is not nor should be regarded as an indication of the economics or value of any "product" or "asset" created by any team or project that contracts Cyberscope to perform a security assessment. This document does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors' business, business model or legal compliance. This report should not be used in any way to make decisions around investment or involvement with any particular project. This report represents an extensive assessment process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

Blockchain technology and cryptographic assets present a high level of ongoing risk Cyberscope's position is that each company and individual are responsible for their own due diligence and continuous security Cyberscope's goal is to help reduce the attack vectors and the high level of variance associated with utilizing new and consistently changing technologies and in no way claims any guarantee of security or functionality of the technology we agree to analyze. The assessment services provided by Cyberscope are subject to dependencies and are under continuing development. You agree that your access and/or use including but not limited to any services reports and materials will be at your sole risk on an as-is where-is and as-available basis Cryptographic tokens are emergent technologies and carry with them high levels of technical risk and uncertainty. The assessment reports could include false positives false negatives and other unpredictable results. The services may access and depend upon multiple layers of third parties.

About Cyberscope

Cyberscope is a blockchain cybersecurity company that was founded with the vision to make web3.0 a safer place for investors and developers. Since its launch, it has worked with thousands of projects and is estimated to have secured tens of millions of investors' funds.

Cyberscope is one of the leading smart contract audit firms in the crypto space and has built a high-profile network of clients and partners.



The Cyberscope team

https://www.cyberscope.io