



Cyberscope

Audit Report

Penny Wise

May 2022

Type BEP20

Network BSC

Address 0x661ef18964c1e76176ba370526a031a726aefcd4

Audited by © cyberscope

Table of Contents

Table of Contents	1
Contract Review	3
Source Files	3
Audit Updates	3
Contract Analysis	4
ST - Stop Transactions	5
Description	5
Recommendation	5
Contract Diagnostics	6
L01 - Public Function could be Declared External	7
Description	7
Recommendation	7
L02 - State Variables could be Declared Constant	8
Description	8
Recommendation	8
L04 - Conformance to Solidity Naming Conventions	9
Description	9
Recommendation	9
L07 - Missing Events Arithmetic	10
Description	10
Recommendation	10
L09 - Dead Code Elimination	11
Description	11
Recommendation	11
Contract Functions	12
Contract Flow	17

Domain Info	18
Summary	19
Disclaimer	20
About Cyberscope	21

Contract Review

Contract Name	PENNY
Compiler Version	v0.8.13+commit.abaa5c0e
Optimization	200 runs
Licence	MIT
Explorer	https://bscscan.com/token/0x661ef18964C1e76176ba370526a031A726AEFCD4
Symbol	PENNY
Decimals	18
Total Supply	1,000,000,000
Domain	pennywise.world

Source Files

Filename	SHA256
contract.sol	460ffa7dcdde12f8c37fd3215b562d1b2077a7c0e5da04b076251979e2ea7a72

Audit Updates

Initial Audit	12th May 2022
Corrected	

Contract Analysis

● Critical ● Medium ● Minor ● Pass

Severity	Code	Description
●	ST	Contract Owner is not able to stop or pause transactions
●	OCTD	Contract Owner is not able to transfer tokens from specific address
●	OTUT	Owner Transfer User's Tokens
●	ELFM	Contract Owner is not able to increase fees more than a reasonable percent (25%)
●	ULTW	Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent
●	MT	Contract Owner is not able to mint new tokens
●	BT	Contract Owner is not able to burn tokens from specific wallet
●	BC	Contract Owner is not able to blacklist wallets from selling

ST - Stop Transactions

Criticality	minor
Location	contract.sol#L1267

Description

The contract owner should carefully manage the routing addresses in the swapExactTokens method. If the wiseToken pair address does not exist the transaction will fail. As a result the sale transactions will not be able to proceed since the swap feature is called for the non-buy transactions.

```
function swapPennyForWise(uint256 tokenAmount)private{
    address[] memory path = new address[](4);
    path[0] = address(this);
    path[1] = uniswapV2Router.WETH();
    path[2] = usdtTokenAddress;
    path[3] = wiseToken;

    _approve(address(this), address(uniswapV2Router), tokenAmount);

    // make the swap
    uniswapV2Router.swapExactTokensForTokensSupportingFeeOnTransferTokens(
        tokenAmount,
        0,
        path,
        address(this),
        block.timestamp
    );
}
```

Recommendation

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

Contract Diagnostics

● Critical ● Medium ● Minor

Severity	Code	Description
●	L01	Public Function could be Declared External
●	L02	State Variables could be Declared Constant
●	L04	Conformance to Solidity Naming Conventions
●	L07	Missing Events Arithmetic
●	L09	Dead Code Elimination

L01 - Public Function could be Declared External

Criticality	minor
Location	contract.sol#L531,539,732,740,757,764,783,806,828,851,871,1140,1148,1167

Description

Public functions that are never called by the contract should be declared external to save gas.

```
setAMMPair  
isExcludedFromFees  
excludeFromFees  
decreaseAllowance  
increaseAllowance  
transferFrom  
approve  
transfer  
totalSupply  
...
```

Recommendation

Use the external attribute for functions never called from the contract.

L02 - State Variables could be Declared Constant

Criticality

minor

Location

contract.sol#L1074,1085,1084,1086,1083

Description

Constant state variables should be declared constant to save gas.

```
usdtTokenAddress  
uniV2RouterAddress  
marketingWalletAddress  
devWalletAddress  
_supply
```

Recommendation

Add the constant attribute to state variables that never change.

L04 - Conformance to Solidity Naming Conventions

Criticality

minor

Location

contract.sol#L20,21,38,62

Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow _ at the beginning of the mixed_case match for private variables and unused parameters.

```
WETH  
MINIMUM_LIQUIDITY  
PERMIT_TYPEHASH  
DOMAIN_SEPARATOR
```

Recommendation

Follow the Solidity naming convention.

<https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions>

L07 - Missing Events Arithmetic

Criticality	minor
Location	contract.sol#L1124,1152

Description

Detected missing events for critical arithmetic parameters. There are functions that have no event emitted, so it is difficult to track off-chain changes.

```
_liquidityFee = fees[0]  
swapTokensAtAmount = value
```

Recommendation

Emit an event for critical parameter changes.

L09 - Dead Code Elimination

Criticality	minor
Location	contract.sol#L950

Description

Functions that are not used in the contract, and make the code's size bigger.

```
_burn
```

Recommendation

Remove unused functions.

Contract Functions

Contract	Type	Bases		
	Function Name	Visibility	Mutability	Modifiers
IUniswapV2Pair	Interface			
	name	External		-
	symbol	External		-
	decimals	External		-
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	approve	External	✓	-
	transfer	External	✓	-
	transferFrom	External	✓	-
	DOMAIN_SEPARATOR	External		-
	PERMIT_TYPEHASH	External		-
	nonces	External		-
	permit	External	✓	-
	MINIMUM_LIQUIDITY	External		-
	factory	External		-
	token0	External		-
	token1	External		-
	getReserves	External		-
	price0CumulativeLast	External		-
	price1CumulativeLast	External		-
	kLast	External		-
	mint	External	✓	-
	burn	External	✓	-
	swap	External	✓	-
	skim	External	✓	-
	sync	External	✓	-
	initialize	External	✓	-


IUniswapV2Router01	Interface			
	factory	External		-
	WETH	External		-
	addLiquidity	External	✓	-
	addLiquidityETH	External	Payable	-
	removeLiquidity	External	✓	-
	removeLiquidityETH	External	✓	-
	removeLiquidityWithPermit	External	✓	-
	removeLiquidityETHWithPermit	External	✓	-
	swapExactTokensForTokens	External	✓	-
	swapTokensForExactTokens	External	✓	-
	swapExactETHForTokens	External	Payable	-
	swapTokensForExactETH	External	✓	-
	swapExactTokensForETH	External	✓	-
	swapETHForExactTokens	External	Payable	-
	quote	External		-
	getAmountOut	External		-
	getAmountIn	External		-
	getAmountsOut	External		-
	getAmountsIn	External		-
IUniswapV2Router02	Interface	IUniswapV2Router01		
	removeLiquidityETHSupportingFeeOnTransferTokens	External	✓	-
	removeLiquidityETHWithPermitSupportingFeeOnTransferTokens	External	✓	-
	swapExactTokensForTokensSupportingFeeOnTransferTokens	External	✓	-
	swapExactETHForTokensSupportingFeeOnTransferTokens	External	Payable	-
	swapExactTokensForETHSupportingFeeOnTransferTokens	External	✓	-
IUniswapV2Factory	Interface			

	feeTo	External		-
	feeToSetter	External		-
	getPair	External		-
	allPairs	External		-
	allPairsLength	External		-
	createPair	External	✓	-
	setFeeTo	External	✓	-
	setFeeToSetter	External	✓	-
SafeMath	Library			
	tryAdd	Internal		
	trySub	Internal		
	tryMul	Internal		
	tryDiv	Internal		
	tryMod	Internal		
	add	Internal		
	sub	Internal		
	mul	Internal		
	div	Internal		
	mod	Internal		
	sub	Internal		
	div	Internal		
	mod	Internal		
Context	Implementation			
	_msgSender	Internal		
	_msgData	Internal		
Ownable	Implementation	Context		
	<Constructor>	Public	✓	-
	owner	Public		-
	renounceOwnership	Public	✓	onlyOwner
	transferOwnership	Public	✓	onlyOwner
	_transferOwnership	Internal	✓	

IERC20	Interface			
	totalSupply	External		-
	balanceOf	External		-
	transfer	External	✓	-
	allowance	External		-
	approve	External	✓	-
	transferFrom	External	✓	-
IERC20Metadata	Interface	IERC20		
	name	External		-
	symbol	External		-
	decimals	External		-
ERC20	Implementation	Context, IERC20, IERC20Metadata		
	<Constructor>	Public	✓	-
	name	Public		-
	symbol	Public		-
	decimals	Public		-
	totalSupply	Public		-
	balanceOf	Public		-
	transfer	Public	✓	-
	allowance	Public		-
	approve	Public	✓	-
	transferFrom	Public	✓	-
	increaseAllowance	Public	✓	-
	decreaseAllowance	Public	✓	-
	_transfer	Internal	✓	
	_mint	Internal	✓	
	_burn	Internal	✓	
	_approve	Internal	✓	
	_spendAllowance	Internal	✓	
	_beforeTokenTransfer	Internal	✓	

	_afterTokenTransfer	Internal	✓	
PENNY	Implementation	ERC20, Ownable		
	<Constructor>	Public	Payable	ERC20
	<Receive Ether>	External	Payable	-
	setMinSwapTokensAtAmount	External	✓	onlyOwner
	setWiseToken	External	✓	onlyOwner
	excludeFromFees	Public	✓	onlyOwner
	excludeFromFees	Public	✓	onlyOwner
	isExcludedFromFees	Public		-
	setFees	External	✓	onlyOwner
	getFees	External		-
	setAMMPair	Public	✓	onlyOwner
	_setAMMPair	Private	✓	
	_transfer	Internal	✓	
	swapAndSendToFee	Private	✓	
	swapAndLiquify	Private	✓	
	swapPennyForWise	Private	✓	
	swapTokensForEth	Private	✓	
	swapTokensForRewardToken	Private	✓	
	addLiquidity	Private	✓	

Contract Flow



Domain Info

Domain Name	pennywise.world
Registry Domain ID	2b386e2dd92c452b884cab72c2c4697f-DONUTS
Creation Date	2022-04-13T07:46:58Z
Updated Date	2022-05-01T15:01:48Z
Registry Expiry Date	2023-04-13T07:46:58Z
Registrar WHOIS Server	whois.porkbun.com
Registrar URL	http://porkbun.com
Registrar	Porkbun LLC
Registrar IANA ID	1861

The domain has been created 29 days before the creation of the audit. It will expire in 11 months.

There is no public billing information, the creator is protected by the privacy settings.

Summary

The Smart Contract analysis reported one minor severity issue. The contract owner has the authority to stop transactions. A multi-wallet signing pattern will provide security against potential hacks. Temporarily locking the contract or renouncing ownership will eliminate all the contract threats. There is also a limit of max 25% fees.

Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Cyberscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Cyberscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Cyberscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Cyberscope team disclaims any liability for the resulting losses.

About Cyberscope

Coinscope audit and K.Y.C. service has been rebranded to Cyberscope.

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Cyberscope and Coinscope are aiming to make crypto discoverable and efficient globally. They provides all the essential tools to assist users draw their own conclusions.



The Cyberscope team

<https://www.cyberscope.io>