



Cyberscope

Audit Report

Sifu Inu

February 2022

Type ERC20

Network AVAX

Address 0x4123F55048889fa021dfb6dE4B4071c6F90112ed

Audited by © cyberscope

Table of Contents

Table of Contents	1
Contract Review	3
Audit Updates	3
Contract Analysis	4
ST - Stop Transactions	5
Description	5
Recommendation	5
ELFM - Exceed Limit Fees Manipulation	6
Description	6
Recommendation	6
BC - Blacklisted Contracts	7
Description	7
Recommendation	7
Contract Diagnostics	8
L01 - Public Function could be Declared External	9
Description	9
Recommendation	9
L02 - State Variables could be Declared Constant	10
Description	10
Recommendation	10
L05 - Unused State Variable	11
Description	11
Recommendation	11
L04 - Conformance to Solidity Naming Conventions	12
Description	12
Recommendation	12

L09 - Dead Code Elimination	13
Description	13
Recommendation	13
L14 - Uninitialized Variables in Local Scope	14
Description	14
Recommendation	14
L13 - Divide before Multiply Operation	15
Description	15
Recommendation	15
Contract Functions	16
Contract Flow	21
Domain Info	22
Summary	23
Disclaimer	24
About Cyberscope	25

Contract Review

Contract Name	CoinToken
Compiler Version	v0.8.10+commit.fc410830
Optimization	runs
Licence	none
Explorer	https://snowtrace.io/address/0x4123F55048889fa021d fb6dE4B4071c6F90112ed
Symbol	SIFU
Decimals	18
Total Supply	25,000,000,000
Source	contract.sol
Domain	sifuinu.io

Audit Updates

Initial Audit	26th February 2022
Corrected	

Contract Analysis

● Critical ● Medium ● Minor ● Pass

Severity	Code	Description
●	ST	Contract Owner is not able to stop or pause transactions
●	OCTD	Contract Owner is not able to transfer tokens from specific address
●	OTUT	Owner Transfer User's Tokens
●	ELFM	Contract Owner is not able to increase fees more than a reasonable percent (25%)
●	ULTW	Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent
●	MT	Contract Owner is not able to mint new tokens
●	BT	Contract Owner is not able to burn tokens from specific wallet
●	BC	Contract Owner is not able to blacklist wallets from selling

ST - Stop Transactions

Criticality	critical
Location	contract.sol#L1001,890

Description

The contract owner has the authority to stop transactions for all users including the owner by calling the `pause` function.

```
function _transfer(  
    address sender,  
    address recipient,  
    uint256 amount  
) internal override virtual {  
    require(!paused(), "CoinToken: token transfer while paused");
```

The contract owner can also disable all sell transactions by setting the `sellTaxes` to very high percent values.

```
} else if(to == address(uniswapV2Pair)) {  
    tax += baseUnit * sellTaxes["marketing"];  
    tax += baseUnit * sellTaxes["dev"];  
    tax += baseUnit * sellTaxes["liquidity"];  
    tax += baseUnit * sellTaxes["charity"];  
  
    if(tax > 0) {  
        _transfer(from, address(this), tax);  
    }  
}
```

Recommendation

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

ELFM - Exceed Limit Fees Manipulation

Criticality	critical
Location	contract.sol#L1088

Description

The contract owner has the authority to increase over the allowed limit of 25%. The owner may take advantage of it by calling the `setSellTax` function with high percentage values.

```
function setSellTax(uint256 dev, uint256 marketing, uint256 liquidity,
uint256 charity) public onlyOwner {

    sellTaxes["dev"] = dev;
    sellTaxes["marketing"] = marketing;
    sellTaxes["liquidity"] = liquidity;
    sellTaxes["charity"] = charity;
}
```

Recommendation

The contract could embody a check for the maximum acceptable values.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

BC - Blacklisted Contracts

Criticality	medium
Location	contract.sol#L1124

Description

The contract owner has the authority to stop contracts from transactions. The owner may take advantage of it by calling the `enableBlacklist` function.

```
require(!isBlacklisted(msg.sender), "CoinToken: sender blacklisted");  
require(!isBlacklisted(recipient), "CoinToken: recipient blacklisted");  
require(!isBlacklisted(tx.origin), "CoinToken: sender blacklisted");
```

Recommendation

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

Contract Diagnostics

● Critical ● Medium ● Minor

Severity	Code	Description
●	L01	Public Function could be Declared External
●	L02	State Variables could be Declared Constant
●	L05	Unused State Variable
●	L04	Conformance to Solidity Naming Conventions
●	L09	Dead Code Elimination
●	L14	Uninitialized Variables in Local Scope
●	L13	Divide before Multiply Operation

L01 - Public Function could be Declared External

Criticality

minor

Location

contract.sol#L177,185,202,209,216,228,236,247,265,293 and 12 more

Description

Public functions that are never called by the contract should be declared external to save gas.

```
disableTax  
enableTax  
removeExclude  
disableBlacklist  
enableBlacklist  
burn  
unpause  
pause  
triggerTax  
...
```

Recommendation

Use the external attribute for functions never called from the contract.

L02 - State Variables could be Declared Constant

Criticality

minor

Location

contract.sol#L838,843,848,831,835,840,845,837,842,847 and 4 more

Description

Constant state variables should be declared constant to save gas.

```
swapThreshold  
marketingTaxWallet  
marketingTaxSell  
marketingTaxBuy  
liquidityTaxWallet  
liquidityTaxSell  
liquidityTaxBuy  
devTaxWallet  
devTaxSell  
...
```

Recommendation

Add the constant attribute to state variables that never change.

L05 - Unused State Variable

Criticality

minor

Location

contract.sol#L835,836,837,838,840,841,842,843,845,846 and 2 more

Description

There are segments that contain unused state variables.

```
charityTaxWallet  
liquidityTaxWallet  
marketingTaxWallet  
devTaxWallet  
charityTaxSell  
liquidityTaxSell  
marketingTaxSell  
devTaxSell  
charityTaxBuy  
...
```

Recommendation

Remove unused state variables.

L04 - Conformance to Solidity Naming Conventions

Criticality	minor
Location	contract.sol#L638,639,656,692

Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow _ at the beginning of the mixed_case match for private variables and unused parameters.

```
WETH  
MINIMUM_LIQUIDITY  
PERMIT_TYPEHASH  
DOMAIN_SEPARATOR
```

Recommendation

Follow the Solidity naming convention.

<https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions>

L09 - Dead Code Elimination

Criticality

minor

Location

contract.sol#L121

Description

Functions that are not used in the contract, and make the code's size bigger.

`_msgData`

Recommendation

Remove unused functions.

L14 - Uninitialized Variables in Local Scope

Criticality

minor

Location

contract.sol#L896

Description

These are variables that are defined in the local scope and are not initialized.

```
tax
```

Recommendation

All the local scoped variables should be initialized.

L13 - Divide before Multiply Operation

Criticality

minor

Location

contract.sol#L890 and 10 more

Description

Performing divisions before multiplications may cause lose of prediction.

```
charityETH = (ethGained * ((charityTokens * 10 ** 18) / taxSum)) / 10 ** 18
devETH = (ethGained * ((devTokens * 10 ** 18) / taxSum)) / 10 ** 18
marketingETH = (ethGained * ((marketingTokens * 10 ** 18) / taxSum)) / 10 ** 18
liquidityETH = (ethGained * ((liquidityTokens / 2 * 10 ** 18) / taxSum)) / 10
** 18
baseUnit = amount / denominator
...
```

Recommendation

The multiplications should be prior to the divisions.

Contract Functions

Contract	Type	Bases		
	Function Name	Visibility	Mutability	Modifiers
IERC20	Interface			
	totalSupply	External		-
	balanceOf	External		-
	transfer	External	✓	-
	allowance	External		-
	approve	External	✓	-
	transferFrom	External	✓	-
IERC20Meta data	Interface	IERC20		
	name	External		-
	symbol	External		-
	decimals	External		-
Context	Implementation			
	_msgSender	Internal		
	_msgData	Internal		
ERC20	Implementation	Context, IERC20, IERC20Meta data		
	<Constructor>	Public	✓	-
	name	Public		-
	symbol	Public		-
	decimals	Public		-
	totalSupply	Public		-
	balanceOf	Public		-
	transfer	Public	✓	-


	allowance	Public		-
	approve	Public	✓	-
	transferFrom	Public	✓	-
	increaseAllowance	Public	✓	-
	decreaseAllowance	Public	✓	-
	_transfer	Internal	✓	
	_mint	Internal	✓	
	_burn	Internal	✓	
	_approve	Internal	✓	
	_beforeTokenTransfer	Internal	✓	
	_afterTokenTransfer	Internal	✓	
Ownable	Implementation	Context		
	<Constructor>	Public	✓	-
	owner	Public		-
	renounceOwnership	Public	✓	onlyOwner
	transferOwnership	Public	✓	onlyOwner
	_setOwner	Internal	✓	
Pausable	Implementation	Context		
	<Constructor>	Public	✓	-
	paused	Public		-
	_pause	Internal	✓	whenNotPaused
	_unpause	Internal	✓	whenPaused
IUniswapV2Pair	Interface			
	name	External		-
	symbol	External		-
	decimals	External		-
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	approve	External	✓	-
	transfer	External	✓	-

	transferFrom	External	✓	-
	DOMAIN_SEPARATOR	External		-
	PERMIT_TYPEHASH	External		-
	nonces	External		-
	permit	External	✓	-
	MINIMUM_LIQUIDITY	External		-
	factory	External		-
	token0	External		-
	token1	External		-
	getReserves	External		-
	price0CumulativeLast	External		-
	price1CumulativeLast	External		-
	kLast	External		-
	mint	External	✓	-
	burn	External	✓	-
	swap	External	✓	-
	skim	External	✓	-
	sync	External	✓	-
	initialize	External	✓	-
IUniswapV2Factory	Interface			
	feeTo	External		-
	feeToSetter	External		-
	getPair	External		-
	allPairs	External		-
	allPairsLength	External		-
	createPair	External	✓	-
	setFeeTo	External	✓	-
	setFeeToSetter	External	✓	-
IUniswapV2Router01	Interface			
	factory	External		-
	WETH	External		-
	addLiquidity	External	✓	-

	addLiquidityETH	External	Payable	-
	removeLiquidity	External	✓	-
	removeLiquidityETH	External	✓	-
	removeLiquidityWithPermit	External	✓	-
	removeLiquidityETHWithPermit	External	✓	-
	swapExactTokensForTokens	External	✓	-
	swapTokensForExactTokens	External	✓	-
	swapExactETHForTokens	External	Payable	-
	swapTokensForExactETH	External	✓	-
	swapExactTokensForETH	External	✓	-
	swapETHForExactTokens	External	Payable	-
	quote	External		-
	getAmountOut	External		-
	getAmountIn	External		-
	getAmountsOut	External		-
	getAmountsIn	External		-
IUniswapV2Router02	Interface	IUniswapV2Router01		
	removeLiquidityETHSupportingFeeOnTransferTokens	External	✓	-
	removeLiquidityETHWithPermitSupportingFeeOnTransferTokens	External	✓	-
	swapExactTokensForTokensSupportingFeeOnTransferTokens	External	✓	-
	swapExactETHForTokensSupportingFeeOnTransferTokens	External	Payable	-
	swapExactTokensForETHSupportingFeeOnTransferTokens	External	✓	-
CoinToken	Implementation	ERC20, Ownable, Pausable		
	<Constructor>	Public	Payable	ERC20
	handleTax	Private	✓	
	_transfer	Internal	✓	
	triggerTax	Public	✓	onlyOwner
	pause	Public	✓	onlyOwner

	unpause	Public	✓	onlyOwner
	burn	Public	✓	onlyOwner
	enableBlacklist	Public	✓	onlyOwner
	disableBlacklist	Public	✓	onlyOwner
	exclude	Public	✓	onlyOwner
	removeExclude	Public	✓	onlyOwner
	setBuyTax	Public	✓	onlyOwner
	setSellTax	Public	✓	onlyOwner
	setTaxWallets	Public	✓	onlyOwner
	enableTax	Public	✓	onlyOwner
	disableTax	Public	✓	onlyOwner
	isBlacklisted	Public		-
	isExcluded	Public		-
	<Receive Ether>	External	Payable	-

Contract Flow



Domain Info

Domain Name	sifuinu.io
Registry Domain ID	91475bf6ee494fd99fadd137e5346030-DONUTS
Creation Date	2022-01-31T17:38:34Z
Updated Date	2022-02-05T17:39:16Z
Registry Expiry Date	2023-01-31T17:38:34Z
Registrar WHOIS Server	whois.godaddy.com/
Registrar URL	http://www.godaddy.com/domains/search.aspx?ci=8990
Registrar	GoDaddy.com, LLC
Registrar IANA ID	146

The domain has been created 26 days before the creation of the audit. It will expire in 11 months.

There is no public billing information, the creator is protected by the privacy settings.

Summary

Shifu Inu Inu claims to be a revenue-generating token that employs profit-sharing and game theory tokenomics. The Project has a friendly and growing community. There are some functions that can be abused by the owner, like manipulating fees up to 100% and blacklisting wallets from transactions. The contract can also operate as a honeypot and prevent users from selling if the admin functions are abused. A multi-wallet signing pattern will provide security against potential hacks. Temporarily locking the contract or renouncing ownership will eliminate all the contract threats.

Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Cyberscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Cyberscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Cyberscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Cyberscope team disclaims any liability for the resulting losses.

About Cyberscope

Coinscope audit and K.Y.C. service has been rebranded to Cyberscope.

Cyberscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Cyberscope and Coinscope are aiming to make crypto discoverable and efficient globally. They provides all the essential tools to assist users draw their own conclusions.



The Cyberscope team

<https://www.cyberscope.io>