



Audit Report

passivexrp

January 2022

Type BEP20

Network BSC

Address 0x075Fc0De2a06CCBC1f8bf1496c2a787AbBD87562

Audited by © coinscope

Table of Contents

Table of Contents	1
Contract Review	3
Audit Updates	4
Contract Analysis	5
ELFM - Exceed Limit Fees Manipulation	6
Description	6
Recommendation	6
BC - Blacklisted Contracts	7
Description	7
Recommendation	7
Contract Diagnostics	8
L01 - Public Function could be Declared External	9
Description	9
Recommendation	9
L05 - Unused State Variable	10
Description	10
Recommendation	10
L04 - Conformance to Solidity Naming Conventions	11
Description	11
Recommendation	11
L09 - Dead Code Elimination	12
Description	12
Recommendation	12
L07 - Missing Events Arithmetic	13
Description	13
Recommendation	13

Contract Functions	14
Contract Flow	24
Domain Info	25
Summary	26
Disclaimer	27
About Coinscope	28

Contract Review

Contract Name	BABYTOKEN
Compiler Version	v0.7.6+commit.7338295f
Optimization	200 runs
Licence	
Explorer	https://bscscan.com/token/0x075Fc0De2a06CCBC1f8bf1496c2a787AbBD87562
Symbol	pXRP
Decimals	18
Total Supply	100,000,000,000,000

Source	contracts/tokens/BabyToken.sol, @openzeppelin/contracts-upgradeable/token/ERC20/ERC20Upgradeable.sol, @openzeppelin/contracts/token/ERC20/IERC20.sol, @openzeppelin/contracts-upgradeable/access/OwnableUpgradeable.sol, @openzeppelin/contracts/math/SafeMath.sol, @openzeppelin/contracts/proxy/Clones.sol, contracts/interfaces/IUniswapV2Factory.sol, contracts/interfaces/IUniswapV2Router02.sol, contracts/interfaces/IBabyToken.sol, contracts/tokens/BabyTokenDividendTracker.sol, @openzeppelin/contracts-upgradeable/utils/ContextUpgradeable.sol, @openzeppelin/contracts-upgradeable/token/ERC20/ERC20Upgradeable.sol, @openzeppelin/contracts-upgradeable/math/SafeMathUpgradeable.sol, @openzeppelin/contracts-upgradeable/proxy/Initializable.sol, @openzeppelin/contracts-upgradeable/utils/AddressUpgradeable.sol, @openzeppelin/contracts/token/ERC20/ERC20.sol, @openzeppelin/contracts/access/Ownable.sol, contracts/interfaces/IUniswapV2Pair.sol, contracts/libs/SafeMathInt.sol, contracts/libs/SafeMathUint.sol, contracts/libs/IterableMapping.sol, contracts/antibot/IPinkAntiBot.sol, contracts/interfaces/IAntiBotBabyToken.sol, @openzeppelin/contracts/utils/Context.sol
Domain	passivexrp.com

Audit Updates

Initial Audit	11th January 2022
Corrected	

Contract Analysis

● Critical
 ● Medium
 ● Minor
 ● Pass

Severity	Code	Description
●	ST	Contract Owner is not able to stop or pause transactions
●	OCTD	Contract Owner is not able to transfer tokens from specific address
●	OTUT	Owner Transfer User's Tokens
●	ELFM	Contract Owner is not able to increase fees more than a reasonable percent (25%)
●	ULTW	Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent
●	MT	Contract Owner is not able to mint new tokens
●	BT	Contract Owner is not able to burn tokens from specific wallet
●	BC	Contract Owner is not able to blacklist wallets from selling

ELFM - Exceed Limit Fees Manipulation

Criticality	critical
Location	contract.sol#L203,L208,L213

Description

The contract owner has the authority to increase over the allowed limit of 25%. The owner may take advantage of it by calling the `setTokenRewardsFee` function with a high percentage value.

```
function setTokenRewardsFee(uint256 value) external onlyOwner {  
    tokenRewardsFee = value;  
    totalFees = tokenRewardsFee.add(liquidityFee).add(marketingFee);  
}
```

Recommendation

The contract could embody a check for the maximum acceptable value.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

BC - Blacklisted Contracts

Criticality	medium
Location	contract.sol#L353

Description

The contract owner has the authority to stop contracts from transactions. The owner may take advantage of it by calling the `blacklistAddress` function.

```
require(!_isBlacklisted[from] && !_isBlacklisted[to], "Blacklisted address");
```

Recommendation

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

Contract Diagnostics

● Critical ● Medium ● Minor

Severity	Code	Description
●	L01	Public Function could be Declared External
●	L05	Unused State Variable
●	L04	Conformance to Solidity Naming Conventions
●	L09	Dead Code Elimination
●	L07	Missing Events Arithmetic

L01 - Public Function could be Declared External

Criticality	minor
Location	@openzeppelin/contracts-upgradeable/access/OwnableUpgradeable.sol#L413,L368,L173 and 38 more

Description

Public functions that are never called by the contract should be declared external to save gas.

```
process
getAccountAtIndex
withdrawnDividendOf
...
```

Recommendation

Use the external attribute for functions never called from the contract

L05 - Unused State Variable

Criticality

minor

Location

contracts/libs/SafeMathInt.sol#L74,L10

Description

There are segments that contains unused state variable.

```
__gap  
MAX_INT256
```

Recommendation

Remove unused state variables.

L04 - Conformance to Solidity Naming Conventions

Criticality	minor
Location	@openzeppelin/contracts-upgradeable/access/OwnableUpgradeable.sol#L324,L87,L182 and 22 more

Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow _ at the beginning of the mixed_case match for private variables and unused parameters.

```
_account  
magnitude  
_owner  
...
```

Recommendation

Follow the Solidity naming convention.

<https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions>

L09 - Dead Code Elimination

Criticality	minor
Location	@openzeppelin/contracts-upgradeable/utils/AddressUpgradeable.sol#L35,L45,L70 and 38 more

Description

Functions that are not used in the contract, and make the code's size bigger.

```
trySub  
tryMul  
tryMod  
...
```

Recommendation

Remove unused functions.

L07 - Missing Events Arithmetic

Criticality

minor

Location

contracts/tokens/BabyToken.sol#L213,L208,L203 and 1 more

Description

Detected missing events for critical arithmetic parameters. There are functions that have no event emitted, so it is difficult to track off-chain changes.

```
marketingFee = value
liquidityFee = value
tokenRewardsFee = value
...
```

Recommendation

Emit an event for critical parameter changes.

Contract Functions

Contract	Type	Bases		
	Function Name	Visibility	Mutability	Modifiers
OwnableUpgradable	Implementation	Initializable, ContextUpgradable		
	__Ownable_init	Internal	✓	initializer
	__Ownable_init_unchained	Internal	✓	initializer
	owner	Public		-
	renounceOwnership	Public	✓	onlyOwner
	transferOwnership	Public	✓	onlyOwner
SafeMathUpgradable	Library			
	tryAdd	Internal		
	trySub	Internal		
	tryMul	Internal		
	tryDiv	Internal		
	tryMod	Internal		
	add	Internal		
	sub	Internal		
	mul	Internal		
	div	Internal		
	mod	Internal		
	sub	Internal		
	div	Internal		
	mod	Internal		
Initializable	Implementation			
	_isConstructor	Private		

ERC20Upgradable	Implementation	Initializable, ContextUpgradable, IERC20Upgradable		
	__ERC20_init	Internal	✓	initializer
	__ERC20_init_unchained	Internal	✓	initializer
	name	Public		-
	symbol	Public		-
	decimals	Public		-
	totalSupply	Public		-
	balanceOf	Public		-
	transfer	Public	✓	-
	allowance	Public		-
	approve	Public	✓	-
	transferFrom	Public	✓	-
	increaseAllowance	Public	✓	-
	decreaseAllowance	Public	✓	-
	_transfer	Internal	✓	
	_mint	Internal	✓	
	_burn	Internal	✓	
	_approve	Internal	✓	
	_setupDecimals	Internal	✓	
	_beforeTokenTransfer	Internal	✓	
IERC20Upgradable	Interface			
	totalSupply	External		-
	balanceOf	External		-
	transfer	External	✓	-
	allowance	External		-
	approve	External	✓	-
	transferFrom	External	✓	-
AddressUpgradable	Library			
	isContract	Internal		

	sendValue	Internal	✓	
	functionCall	Internal	✓	
	functionCall	Internal	✓	
	functionCallWithValue	Internal	✓	
	functionCallWithValue	Internal	✓	
	functionStaticCall	Internal		
	functionStaticCall	Internal		
	_verifyCallResult	Private		
ContextUpgradeable	Implementation	Initializable		
	__Context_init	Internal	✓	initializer
	__Context_init_unchained	Internal	✓	initializer
	_msgSender	Internal		
	_msgData	Internal		
Ownable	Implementation	Context		
	<Constructor>	Public	✓	-
	owner	Public		-
	renounceOwnership	Public	✓	onlyOwner
	transferOwnership	Public	✓	onlyOwner
SafeMath	Library			
	tryAdd	Internal		
	trySub	Internal		
	tryMul	Internal		
	tryDiv	Internal		
	tryMod	Internal		
	add	Internal		
	sub	Internal		
	mul	Internal		
	div	Internal		
	mod	Internal		
	sub	Internal		
	div	Internal		
	mod	Internal		

Clones	Library			
	clone	Internal	✓	
	cloneDeterministic	Internal	✓	
	predictDeterministicAddress	Internal		
	predictDeterministicAddress	Internal		
ERC20	Implementation	Context, IERC20		
	<Constructor>	Public	✓	-
	name	Public		-
	symbol	Public		-
	decimals	Public		-
	totalSupply	Public		-
	balanceOf	Public		-
	transfer	Public	✓	-
	allowance	Public		-
	approve	Public	✓	-
	transferFrom	Public	✓	-
	increaseAllowance	Public	✓	-
	decreaseAllowance	Public	✓	-
	_transfer	Internal	✓	
	_mint	Internal	✓	
	_burn	Internal	✓	
	_approve	Internal	✓	
	_setupDecimals	Internal	✓	
	_beforeTokenTransfer	Internal	✓	
IERC20	Interface			
	totalSupply	External		-
	balanceOf	External		-
	transfer	External	✓	-
	allowance	External		-
	approve	External	✓	-
	transferFrom	External	✓	-

Context	Implementation			
	_msgSender	Internal		
	_msgData	Internal		
IPinkAntiBot	Interface			
	setTokenOwner	External	✓	-
	onPreTransferCheck	External	✓	-
IAntiBotBabyToken	Interface			
	initialize	External	✓	-
IBabyToken	Interface			
	initialize	External	✓	-
IUniswapV2Factory	Interface			
	feeTo	External		-
	feeToSetter	External		-
	getPair	External		-
	allPairs	External		-
	allPairsLength	External		-
	createPair	External	✓	-
	setFeeTo	External	✓	-
	setFeeToSetter	External	✓	-
IUniswapV2Pair	Interface			
	name	External		-
	symbol	External		-
	decimals	External		-
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	approve	External	✓	-
	transfer	External	✓	-

	transferFrom	External	✓	-
	DOMAIN_SEPARATOR	External		-
	PERMIT_TYPEHASH	External		-
	nonces	External		-
	permit	External	✓	-
	MINIMUM_LIQUIDITY	External		-
	factory	External		-
	token0	External		-
	token1	External		-
	getReserves	External		-
	price0CumulativeLast	External		-
	price1CumulativeLast	External		-
	kLast	External		-
	mint	External	✓	-
	burn	External	✓	-
	swap	External	✓	-
	skim	External	✓	-
	sync	External	✓	-
	initialize	External	✓	-
IUniswapV2Router01	Interface			
	factory	External		-
	WETH	External		-
	addLiquidity	External	✓	-
	addLiquidityETH	External	Payable	-
	removeLiquidity	External	✓	-
	removeLiquidityETH	External	✓	-
	removeLiquidityWithPermit	External	✓	-
	removeLiquidityETHWithPermit	External	✓	-
	swapExactTokensForTokens	External	✓	-
	swapTokensForExactTokens	External	✓	-
	swapExactETHForTokens	External	Payable	-
	swapTokensForExactETH	External	✓	-
	swapExactTokensForETH	External	✓	-
	swapETHForExactTokens	External	Payable	-

	quote	External		-
	getAmountOut	External		-
	getAmountIn	External		-
	getAmountsOut	External		-
	getAmountsIn	External		-
IUniswapV2Router02	Interface	IUniswapV2Router01		
	removeLiquidityETHSupportingFeeOnTransferTokens	External	✓	-
	removeLiquidityETHWithPermitSupportingFeeOnTransferTokens	External	✓	-
	swapExactTokensForTokensSupportingFeeOnTransferTokens	External	✓	-
	swapExactETHForTokensSupportingFeeOnTransferTokens	External	Payable	-
	swapExactTokensForETHSupportingFeeOnTransferTokens	External	✓	-
IterableMapping	Library			
	get	Public		-
	getIndexOfKey	Public		-
	getKeyAtIndex	Public		-
	size	Public		-
	set	Public	✓	-
	remove	Public	✓	-
SafeMathInt	Library			
	mul	Internal		
	div	Internal		
	sub	Internal		
	add	Internal		
	abs	Internal		
	toUint256Safe	Internal		
SafeMathUint	Library			
	toInt256Safe	Internal		

BABYTOKEN	Implementation	ERC20Upgradable, OwnableUpgradable, IBabyToken		
	initialize	External	✓	initializer
	<Receive Ether>	External	Payable	-
	setSwapTokensAtAmount	External	✓	onlyOwner
	updateDividendTracker	Public	✓	onlyOwner
	updateUniswapV2Router	Public	✓	onlyOwner
	excludeFromFees	Public	✓	onlyOwner
	excludeMultipleAccountsFromFees	Public	✓	onlyOwner
	setMarketingWallet	External	✓	onlyOwner
	setTokenRewardsFee	External	✓	onlyOwner
	setLiquiditFee	External	✓	onlyOwner
	setMarketingFee	External	✓	onlyOwner
	setAutomatedMarketMakerPair	Public	✓	onlyOwner
	blacklistAddress	External	✓	onlyOwner
	_setAutomatedMarketMakerPair	Private	✓	
	updateGasForProcessing	Public	✓	onlyOwner
	updateClaimWait	External	✓	onlyOwner
	getClaimWait	External		-
	getTotalDividendsDistributed	External		-
	isExcludedFromFees	Public		-
	withdrawableDividendOf	Public		-
	dividendTokenBalanceOf	Public		-
	excludeFromDividends	External	✓	onlyOwner
	getAccountDividendsInfo	External		-
	getAccountDividendsInfoAtIndex	External		-
	processDividendTracker	External	✓	-
	claim	External	✓	-
	getLastProcessedIndex	External		-
	getNumberOfDividendTokenHolders	External		-
	_transfer	Internal	✓	
	swapAndSendToFee	Private	✓	
	swapAndLiquify	Private	✓	

	swapTokensForEth	Private	✓	
	swapTokensForCake	Private	✓	
	addLiquidity	Private	✓	
	swapAndSendDividends	Private	✓	
DividendPayingTokenInterface	Interface			
	dividendOf	External		-
	withdrawDividend	External	✓	-
DividendPayingTokenOptionalInterface	Interface			
	withdrawableDividendOf	External		-
	withdrawnDividendOf	External		-
	accumulativeDividendOf	External		-
DividendPayingToken	Implementation	ERC20Upgradable, OwnableUpgradable, DividendPayingTokenInterface, DividendPayingTokenOptionalInterface		
	__DividendPayingToken_init	Internal	✓	initializer
	distributeCAKEDividends	Public	✓	onlyOwner
	withdrawDividend	Public	✓	-
	_withdrawDividendOfUser	Internal	✓	
	dividendOf	Public		-
	withdrawableDividendOf	Public		-
	withdrawnDividendOf	Public		-
	accumulativeDividendOf	Public		-
	_transfer	Internal	✓	
	_mint	Internal	✓	
	_burn	Internal	✓	

	_setBalance	Internal	✓	
BABYTOKEND ividendTracker	Implementation	OwnableUp gradeable, DividendPay ingToken		
	initialize	External	✓	initializer
	_transfer	Internal		
	withdrawDividend	Public		-
	excludeFromDividends	External	✓	onlyOwner
	updateClaimWait	External	✓	onlyOwner
	getLastProcessedIndex	External		-
	getNumberOfTokenHolders	External		-
	getAccount	Public		-
	getAccountAtIndex	Public		-
	canAutoClaim	Private		
	setBalance	External	✓	onlyOwner
	process	Public	✓	-
	processAccount	Public	✓	onlyOwner

Contract Flow



Domain Info

Domain Name	passivexrp.com
Registry Domain ID	2655971653_DOMAIN_COM-VRSN
Creation Date	2021-11-18T20:17:43Z
Updated Date	2021-12-05T18:25:51Z
Registry Expiry Date	
Registrar WHOIS Server	whois.123-reg.co.uk
Registrar URL	http://www.meshdigital.com
Registrar	123-Reg Limited
Registrar IANA ID	1515

The domain has been created about 2 months before the creation of the audit.

There is no public billing information, the creator is protected by the privacy settings.

Summary

Passivexrp generates passive income by holding coins. The token has a friendly and growing community. There are some functions that can be abused by the owner, like manipulating fees and blacklisting wallets. A multi-wallet signing pattern will provide security against potential hacks. Temporarily locking the contract or renouncing ownership will eliminate all the contract threats.

Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Coinscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Coinscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Coinscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Coinscope team disclaims any liability for the resulting losses.

About Coinscope

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Coinscope is aiming to make crypto discoverable and efficient globally. It provides all the essential tools to assist users draw their own conclusions.



The Coinscope.co team

<https://www.coinscope.co>