



Cyberscope

Audit Report

APESCOIN

November 2022

Type BEP20

Network BSC

Address 0x91832aABfDD09e0dD9C82b17352F72E66E3EB903

Audited by © cyberscope

Table of Contents

Table of Contents	1
Contract Review	3
Source Files	3
Audit Updates	3
Contract Analysis	4
OCTD - Transfers Contract's Tokens	5
Description	5
Recommendation	5
ELFM - Exceeds Fees Limit	6
Description	6
Recommendation	6
ULTW - Transfers Liquidity to Team Wallet	7
Description	7
Recommendation	7
Contract Diagnostics	8
STC - Succeeded Transfer Check	9
Description	9
Recommendation	9
BLC - Business Logic Concern	10
Description	10
Recommendation	10
CO - Code Optimization	11
Description	11
Recommendation	11
L02 - State Variables could be Declared Constant	12
Description	12

Recommendation	12
L04 - Conformance to Solidity Naming Conventions	13
Description	13
Recommendation	13
L05 - Unused State Variable	14
Description	14
Recommendation	14
Contract Functions	15
Contract Flow	18
Domain Info	19
Summary	20
Disclaimer	21
About Cyberscope	22

Contract Review

Contract Name	APESCOIN
Compiler Version	v0.8.13+commit.abaa5c0e
Optimization	200 runs
Licence	None
Explorer	https://bscscan.com/token/0x91832aABfDD09e0dD9C82b17352F72E66E3EB903
Symbol	APES
Decimals	9
Total Supply	100,000,000
Domain	https://apescoin.finance

Source Files

Filename	SHA256
contract.sol	a925e2a5009f89daed18045c1672235e5ac99ae6dfbb21d54f56c0a62becef6e

Audit Updates

Initial Audit	4th November 2022
Corrected	

Contract Analysis

● Critical ● Medium ● Minor / Informative ● Pass

Severity	Code	Description	Status
●	ST	Stops Transactions	Passed
●	OCTD	Transfers Contract's Tokens	Unresolved
●	OTUT	Transfers User's Tokens	Passed
●	ELFM	Exceeds Fees Limit	Unresolved
●	ULTW	Transfers Liquidity to Team Wallet	Unresolved
●	MT	Mints Tokens	Passed
●	BT	Burns Tokens	Passed
●	BC	Blacklists Addresses	Passed

OCTD - Transfers Contract's Tokens

Criticality	minor / informative
Location	contract.sol#L300
Status	Unresolved

Description

The contract owner has the authority to claim all the balance of the contract. The owner may take advantage of it by calling the `rescueForeignTokens` function.

```
function rescueForeignTokens(address _tokenAddr, address _to, uint _amount) public  
onlyDev() {  
    emit tokensRescued(_tokenAddr, _to, _amount);  
    Token(_tokenAddr).transfer(_to, _amount);  
}
```

Recommendation

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

ELFM - Exceeds Fees Limit

Criticality	medium
Location	contract.sol#L387
Status	Unresolved

Description

The contract owner has the authority to increase over the allowed limit of 25%. The owner may take advantage of it by calling the `setFee` function with a high percentage value.

```
function setFee(uint256 redisFeeOnBuy, uint256 redisFeeOnSell, uint256 taxFeeOnBuy, uint256 taxFeeOnSell) public onlyDev {  
    require(redisFeeOnBuy < 31, "Redis cannot be more than 30.");  
    require(redisFeeOnSell < 31, "Redis cannot be more than 30.");  
    require(taxFeeOnBuy < 21, "Tax cannot be more than 20.");  
    require(taxFeeOnSell < 21, "Tax cannot be more than 20.");  
    _redisFeeOnBuy = redisFeeOnBuy;  
    _redisFeeOnSell = redisFeeOnSell;  
    _taxFeeOnBuy = taxFeeOnBuy;  
    _taxFeeOnSell = taxFeeOnSell;  
}
```

Recommendation

The contract could embody a check for the maximum acceptable value.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

ULTW - Transfers Liquidity to Team Wallet

Criticality	minor / informative
Location	contract.sol#L375,381
Status	Unresolved

Description

The contract owner has the authority to transfer funds without limit to the team wallet. These funds have been accumulated from fees collected from the contract. The owner may take advantage of it by calling the `manualswap` and `manualsend` methods.

```
function manualswap() external {
    require(_msgSender() == _developmentAddress || _msgSender() == _marketingAddress ||
    _msgSender() == owner());
    uint256 contractBalance = balanceOf(address(this));
    swapTokensForEth(contractBalance);
}

function manualsend() external {
    require(_msgSender() == _developmentAddress || _msgSender() == _marketingAddress ||
    _msgSender() == owner());
    uint256 contractETHBalance = address(this).balance;
    sendETHToFee(contractETHBalance);
}
```

Recommendation

The contract could embody a check for the maximum amount of funds that can be swapped. Since a huge amount may volatile the token's price.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

Contract Diagnostics

● Critical ● Medium ● Minor / Informative

Severity	Code	Description	Status
●	STC	Succeeded Transfer Check	Unresolved
●	BLC	Business Logic Concern	Unresolved
●	CO	Code Optimization	Unresolved
●	L02	State Variables could be Declared Constant	Unresolved
●	L04	Conformance to Solidity Naming Conventions	Unresolved
●	L05	Unused State Variable	Unresolved

STC - Succeeded Transfer Check

Criticality	minor / informative
Location	contract.sol#L290,300
Status	Unresolved

Description

According to the ERC20 specification, the transfer methods should be checked if the result is successful. Otherwise, the contract may wrongly assume that the transfer has been established.

```
function sendETHToFee(uint256 amount) private {
    _developmentAddress.transfer(amount.div(2));
    _marketingAddress.transfer(amount.div(2));
}

function rescueForeignTokens(address _tokenAddr, address _to, uint _amount) public onlyDev() {
    emit tokensRescued(_tokenAddr, _to, _amount);
    Token(_tokenAddr).transfer(_to, _amount);
}
```

Recommendation

The contract should check if the result of the transfer methods is successful.

BLC - Business Logic Concern

Criticality	medium
Location	contract.sol#L348,355
Status	Unresolved

Description

The business logic seems peculiar. The implementation may not follow the expected behavior.

Misleading use of arguments on the function `_getTValues`. The function `_getTValues` expects `tAmount`, `taxFee`, `TeamFee` arguments. But the function is called with `tAmount`, `TeamFee`, `_taxFee` arguments.

```
function _getValues(uint256 tAmount) private view returns (uint256, uint256, uint256, uint256, uint256, uint256) {
    (uint256 tTransferAmount, uint256 tFee, uint256 tTeam) = _getTValues(tAmount, _redisFee, _taxFee);
    uint256 currentRate = _getRate();
    (uint256 rAmount, uint256 rTransferAmount, uint256 rFee) = _getRValues(tAmount, tFee, tTeam, currentRate);
    return (rAmount, rTransferAmount, rFee, tTransferAmount, tFee, tTeam);
}

function _getTValues(uint256 tAmount, uint256 taxFee, uint256 TeamFee) private pure returns (uint256, uint256, uint256) {
    uint256 tFee = tAmount.mul(taxFee).div(100);
    uint256 tTeam = tAmount.mul(TeamFee).div(100);
    uint256 tTransferAmount = tAmount.sub(tFee).sub(tTeam);
    return (tTransferAmount, tFee, tTeam);
}
```

Recommendation

The team is advised to carefully check if the implementation follows the expected business logic.

CO - Code Optimization

Criticality	minor / informative
Location	contract.sol#L295
Status	Unresolved

Description

There are code segments that could be optimized. A segment may be optimized so that it becomes a smaller size, consumes less memory, executes more rapidly, or performs fewer operations.

The method `_tokenTransfer` is redundant.

```
function _tokenTransfer(address sender, address recipient, uint256 amount) private {  
    _transferStandard(sender, recipient, amount);  
}
```

Recommendation

Rewrite some code segments so the runtime will be more performant.

The method `_tokenTransfer` could be merged with `_transferStandard`.

L02 - State Variables could be Declared Constant

Criticality	minor / informative
Location	contract.sol#L93
Status	Unresolved

Description

Constant state variables should be declared constant to save gas.

```
_previousOwner
```

Recommendation

Add the constant attribute to state variables that never change.

L04 - Conformance to Solidity Naming Conventions

Criticality	minor / informative
Location	contract.sol#L300,299,312,34,305,132,147,146,398,145
Status	Unresolved

Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow `_` at the beginning of the `mixed_case` match for private variables and unused parameters.

```
_amount  
_tokenAddr  
tokensRescued  
_to  
marketingAddressUpdated  
WETH  
devAddressUpdated  
_tTotal  
_decimals  
...
```

Recommendation

Follow the Solidity naming convention.

<https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions>.

L05 - Unused State Variable

Criticality	minor / informative
Location	contract.sol#L127,93
Status	Unresolved

Description

There are segments that contain unused state variables.

```
_tOwned  
_previousOwner
```

Recommendation

Remove unused state variables.


Contract Functions

Contract	Type	Bases		
	Function Name	Visibility	Mutability	Modifiers
IERC20	Interface			
	totalSupply	External		-
	balanceOf	External		-
	transfer	External	✓	-
	allowance	External		-
	approve	External	✓	-
	transferFrom	External	✓	-
Token	Interface			
	transferFrom	External	✓	-
	transfer	External	✓	-
IUniswapV2Factory	Interface			
	createPair	External	✓	-
IUniswapV2Router02	Interface			
	swapExactTokensForETHSupportingFeeOnTransferTokens	External	✓	-
	factory	External		-
	WETH	External		-
	addLiquidityETH	External	Payable	-
Context	Implementation			
	_msgSender	Internal		
SafeMath	Library			
	add	Internal		
	sub	Internal		

	sub	Internal		
	mul	Internal		
	div	Internal		
	div	Internal		
Ownable	Implementation	Context		
	<Constructor>	Public	✓	-
	owner	Public		-
	renounceOwnership	Public	✓	onlyOwner
	transferOwnership	Public	✓	onlyOwner
APESCOIN	Implementation	Context, IERC20, Ownable		
	<Constructor>	Public	✓	-
	name	Public		-
	symbol	Public		-
	decimals	Public		-
	totalSupply	Public		-
	balanceOf	Public		-
	transfer	Public	✓	-
	allowance	Public		-
	approve	Public	✓	-
	transferFrom	Public	✓	-
	tokenFromReflection	Private		
	_approve	Private	✓	
	_transfer	Private	✓	
	swapTokensForEth	Private	✓	lockTheSwap
	sendETHToFee	Private	✓	
	_tokenTransfer	Private	✓	
	rescueForeignTokens	Public	✓	onlyDev
	setNewDevAddress	Public	✓	onlyDev
	setNewMarketingAddress	Public	✓	onlyDev
	_transferStandard	Private	✓	
	_takeTeam	Private	✓	

	_reflectFee	Private	✓	
	<Receive Ether>	External	Payable	-
	_getValues	Private		
	_getTValues	Private		
	_getRValues	Private		
	_getRate	Private		
	_getCurrentSupply	Private		
	manualswap	External	✓	-
	manualsend	External	✓	-
	setFee	Public	✓	onlyDev
	toggleSwap	Public	✓	onlyDev
	excludeMultipleAccountsFromFees	Public	✓	onlyOwner

Contract Flow



Domain Info

Domain Name	apescoin.finance
Registry Domain ID	8c85f86698204c1e936135a567e780b5-DONUTS
Creation Date	2022-07-30T17:56:49Z
Updated Date	2022-08-04T17:57:34Z
Registry Expiry Date	2023-07-30T17:56:49Z
Registrar WHOIS Server	http://www.hostinger.com
Registrar URL	http://www.hostinger.com
Registrar	Hostinger, UAB
Registrar IANA ID	1636

The domain was created 3 months before the creation of the audit. It will expire in 9 months.

There is no public billing information, the creator is protected by the privacy settings.

Summary

There are some functions that can be abused by the owner like transferring tokens to the team's wallet, manipulating fees and transferring funds to the team's wallet. A multi-wallet signing pattern will provide security against potential hacks. Temporarily locking the contract or renouncing ownership will eliminate all the contract threats. There is also a limit of max 52% fees.

Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Cyberscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Cyberscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Cyberscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Cyberscope team disclaims any liability for the resulting losses.

About Cyberscope

Coinscope audit and K.Y.C. service has been rebranded to Cyberscope.

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Cyberscope and Coinscope are aiming to make crypto discoverable and efficient globally. They provide all the essential tools to assist users draw their own conclusions.



The Cyberscope team

<https://www.cyberscope.io>