Cyberscope

Audit Report

Defimon

May 2022

Address	0xcAD7D10E6778220Bb183704E528cB3E0252916ac
Network	BSC
Audited by	© cyberscope

Table of Contents

Table of Contents 1
Contract Review 3
Audit Updates 3
Contract Analysis 4
ELFM - Exceed Limit Fees Manipulation 5
Description 5
Recommendation 5
ULTW - Unlimited Liquidity to Team Wallet 6
Description 6
Recommendation 6
BC - Blacklisted Contracts 7
Description 7
Recommendation 7
Contract Diagnostics 8
L01 - Public Function could be Declared External 9
Description 9
Recommendation 9
L04 - Conformance to Solidity Naming Conventions 10
Description 10
Recommendation 10
L07 - Missing Events Arithmetic 11
Description 11
Recommendation 11
L09 - Dead Code Elimination 12
Description 12
Recommendation 12

Contract Functions 13
Contract Flow 18
Domain Info 19
Summary 20
Disclaimer 21
About Cyberscope 22

Contract Review

Contract Name	DefiMon
Compiler Version	v0.8.7+commit.e28d00a7
Optimization	200 runs
Licence	None
Explorer	https://bscscan.com/token/0xcAD7D10E6778220Bb183704E528cB3E0252916ac
Symbol	DFC
Decimals	18
Total Supply	200,000,000
Domain	defimon.io

Source Files

Filename	**SHA256**
contract.sol	07ebc699f1bff89f0e87f4094464889a1a3efc30abfab05d635791ba2d353f6f

Audit Updates

Initial Audit	2th May 2022
Corrected	7th May 2022

Contract Analysis

Critical Medium Minor Pass

Severity	Code	Description
●	ST	Contract Owner is not able to stop or pause transactions
●	OCTD	Contract Owner is not able to transfer tokens from specific address
●	OTUT	Owner Transfer User's Tokens
●	ELFM	Contract Owner is not able to increase fees more than a reasonable percent (25%)
●	ULTW	Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent
●	MT	Contract Owner is not able to mint new tokens
●	BT	Contract Owner is not able to burn tokens from specific wallet
●	BC	Contract Owner is not able to blacklist wallets from selling

ELFM - Exceed Limit Fees Manipulation

Criticality	critical
Location	contract.sol#879

Description

The contract owner has the authority to increase over the allowed limit of 25%. The owner may take advantage of it by calling the `setTransferFee` function with a high percentage value.

```
function setTransferFee(uint256 _transferFee) external onlyOwner {
    transferFee = _transferFee;
}
```

Recommendation

The contract could embody a check for the maximum acceptable value.

The team should carefully manage the private keys of the owner’s account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

ULTW - Unlimited Liquidity to Team Wallet

Criticality	minor
Location	contract.sol#L951

Description

The contract owner has the authority to transfer funds without limit to the team wallet. These funds have been accumulated from fees collected from the contract. The owner may take advantage of it by calling the `swapAndDistribute()` method.

```
function swapAndDistribute(uint256 tokenAmount) public {
    removeFee = true;
    swapTokensForBNB(tokenAmount);
    removeFee = false;
    feeCollector.call{value: address(this).balance}("");
}
```

Recommendation

The contract could embody a check for the maximum amount of funds that can be swapped. Since a huge amount may volatile the token's price.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

BC - Blacklisted Contracts

Criticality	medium
Location	contract.sol#L917

Description

The contract owner has the authority to stop contracts from transactions. The owner may take advantage of it by calling the `setBlacklist` function.

```
require(!blacklist[from], "DFC: Account is blacklisted");
```

Recommendation

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

Contract Diagnostics

Critical Medium Minor

Severity	Code	Description
	L01	Public Function could be Declared External
	L04	Conformance to Solidity Naming Conventions
	L07	Missing Events Arithmetic
	L09	Dead Code Elimination

L01 - Public Function could be Declared External

Criticality	minor
Location	contract.sol#L301,309,502,510,527,534,553,576,598,621,641,867,871

Description

Public functions that are never called by the contract should be declared external to save gas.

```
isExcludedFromFee
isBlacklisted
decreaseAllowance
increaseAllowance
transferFrom
approve
transfer
totalSupply
decimals
...
```

Recommendation

Use the external attribute for functions never called from the contract.

L04 - Conformance to Solidity Naming Conventions

Criticality	minor
Location	contract.sol#L7,184,185,202,867,871,875,879,883,887,893,899

Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow _ at the beginning of the mixed_case match for private variables and unused parameters.

```
_address
_discountedTransferFee
_transferFee
_feeCollector
MINIMUM_LIQUIDITY
PERMIT_TYPEHASH
DOMAIN_SEPARATOR
WETH
...
```

Recommendation

Follow the Solidity naming convention.
https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions

L07 - Missing Events Arithmetic

Criticality	minor
Location	contract.sol#L879

Description

Detected missing events for critical arithmetic parameters. There are functions that have no event emitted, so it is difficult to track off-chain changes.

```
transferFee = _transferFee
```

Recommendation

Emit an event for critical parameter changes.

L09 - Dead Code Elimination

Criticality	minor
Location	contract.sol#L720

Description

Functions that are not used in the contract, and make the code's size bigger.

```
_burn
```

Recommendation

Remove unused functions.

Contract Functions

Contract	Type	Bases		
	Function Name	**Visibility**	**Mutability**	**Modifiers**
IUniswapV2Router01	Interface			
	factory	External		-
	WETH	External		-
	addLiquidity	External	✓	-
	addLiquidityETH	External	Payable	-
	removeLiquidity	External	✓	-
	removeLiquidityETH	External	✓	-
	removeLiquidityWithPermit	External	✓	-
	removeLiquidityETHWithPermit	External	✓	-
	swapExactTokensForTokens	External	✓	-
	swapTokensForExactTokens	External	✓	-
	swapExactETHForTokens	External	Payable	-
	swapTokensForExactETH	External	✓	-
	swapExactTokensForETH	External	✓	-
	swapETHForExactTokens	External	Payable	-
	quote	External		-
	getAmountOut	External		-
	getAmountIn	External		-
	getAmountsOut	External		-
	getAmountsIn	External		-
IUniswapV2Router02	Interface	IUniswapV2Router01		
	removeLiquidityETHSupportingFeeOnTransferTokens	External	✓	-
	removeLiquidityETHWithPermitSupportingFeeOnTransferTokens	External	✓	-
	swapExactTokensForTokensSupportingFeeOnTransferTokens	External	✓	-


	swapExactETHForTokensSupportingFeeOnTransferTokens	External	Payable	-
	swapExactTokensForETHSupportingFeeOnTransferTokens	External	✓	-
IUniswapV2Factory	Interface			
	feeTo	External		-
	feeToSetter	External		-
	getPair	External		-
	allPairs	External		-
	allPairsLength	External		-
	createPair	External	✓	-
	setFeeTo	External	✓	-
	setFeeToSetter	External	✓	-
IUniswapV2Pair	Interface			
	name	External		-
	symbol	External		-
	decimals	External		-
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	approve	External	✓	-
	transfer	External	✓	-
	transferFrom	External	✓	-
	DOMAIN_SEPARATOR	External		-
	PERMIT_TYPEHASH	External		-
	nonces	External		-
	permit	External	✓	-
	MINIMUM_LIQUIDITY	External		-
	factory	External		-
	token0	External		-
	token1	External		-
	getReserves	External		-
	price0CumulativeLast	External		-

	price1CumulativeLast	External		-
	kLast	External		-
	mint	External	✓	-
	burn	External	✓	-
	swap	External	✓	-
	skim	External	✓	-
	sync	External	✓	-
	initialize	External	✓	-
Context	Implementation			
	_msgSender	Internal		
	_msgData	Internal		
Ownable	Implementation	Context		
	<Constructor>	Public	✓	-
	owner	Public		-
	renounceOwnership	Public	✓	onlyOwner
	transferOwnership	Public	✓	onlyOwner
	_transferOwnership	Internal	✓	
IERC20	Interface			
	totalSupply	External		-
	balanceOf	External		-
	transfer	External	✓	-
	allowance	External		-
	approve	External	✓	-
	transferFrom	External	✓	-
IERC20Metadata	Interface	IERC20		
	name	External		-
	symbol	External		-
	decimals	External		-

ERC20	Implementation	Context, IERC20, IERC20Metadata		
	<Constructor>	Public	✓	-
	name	Public		-
	symbol	Public		-
	decimals	Public		-
	totalSupply	Public		-
	balanceOf	Public		-
	transfer	Public	✓	-
	allowance	Public		-
	approve	Public	✓	-
	transferFrom	Public	✓	-
	increaseAllowance	Public	✓	-
	decreaseAllowance	Public	✓	-
	_transfer	Internal	✓	
	_mint	Internal	✓	
	_burn	Internal	✓	
	_approve	Internal	✓	
	_spendAllowance	Internal	✓	
	_beforeTokenTransfer	Internal	✓	
	_afterTokenTransfer	Internal	✓	
DefiMon	Implementation	ERC20, Ownable		
	<Constructor>	Public	✓	ERC20
	<Receive Ether>	External	Payable	-
	isBlacklisted	Public		-
	isExcludedFromFee	Public		-
	setFeeCollector	External	✓	onlyOwner
	setTransferFee	External	✓	onlyOwner
	setDiscountedTransferFee	External	✓	onlyOwner
	excludeFromFee	External	✓	onlyOwner
	setAMMPair	External	✓	onlyOwner
	setBlacklist	External	✓	onlyOwner
	enableTrading	External	✓	onlyOwner

	_transfer	Internal	✓	
	swapBNBForTokens	External	Payable	-
	_swapBNBForTokens	Internal	✓	
	swapAndDistribute	Public	✓	-
	swapTokensForBNB	Internal	✓	

Contract Flow



Domain Info

Domain Name	defimon.io
Registry Domain ID	a034562001904c78832aa46923c6af74-DONUTS
Creation Date	2021-11-27T04:33:08Z
Updated Date	2022-04-12T21:45:36Z
Registry Expiry Date	2022-11-27T04:33:08Z
Registrar WHOIS Server	key-systems.net
Registrar URL	http://key-systems.net
Registrar	Key-Systems GmbH
Registrar IANA ID	269

The domain has been created 5 months before the creation of the audit. It will expire in 7 months.

There is no public billing information, the creator is protected by the privacy settings.

Summary

There are some functions that can be abused by the owner like manipulating fees, transferring funds to the team’s wallet and blacklisting addresses. A multi-wallet signing pattern will provide security against potential hacks. Temporarily locking the contract or renouncing ownership will eliminate all the contract threats.

Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Cyberscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Cyberscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Cyberscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Cyberscope team disclaims any liability for the resulting losses.

About Cyberscope

Coinscope audit and K.Y.C. service has been rebranded to Cyberscope.

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Cyberscope and Coinscope are aiming to make crypto discoverable and efficient globally. They provides all the essential tools to assist users draw their own conclusions.



The Cyberscope team

https://www.cyberscope.io

Cyberscope

Audit Report

Defimon

May 2022

Github https://github.com/KingMoses252/DFC-Main-Contract

Commit 09c9e00da3e0bd707aea6df4ad893f88d51901e4

Audited by © cyberscope

Table of Contents

Table of Contents 1
Contract Review 3
Audit Updates 3
Source Files 4
Contract Analysis 6
ELFM - Exceed Limit Fees Manipulation 7
Description 7
Recommendation 7
ULTW - Unlimited Liquidity to Team Wallet 8
Description 8
Recommendation 8
BC - Blacklisted Contracts 9
Description 9
Recommendation 9
Contract Diagnostics 10
L01 - Public Function could be Declared External 11
Description 11
Recommendation 11
L04 - Conformance to Solidity Naming Conventions 12
Description 12
Recommendation 12
L07 - Missing Events Arithmetic 13
Description 13
Recommendation 13
Contract Functions 14
Contract Flow 19

Domain Info 20

Summary 21

Disclaimer 22

About Cyberscope 23

Contract Review

Contract Name	DefiMon
Github	https://github.com/KingMoses252/DFC-Main-Contract
Commit	09c9e00da3e0bd707aea6df4ad893f88d51901e4
Symbol	DFC
Decimals	18
Total Supply	200,000,000
Domain	defimon.io

Audit Updates

Initial Audit	2nd May 2022
Corrected	

Source Files

Filename	SHA256
@openzeppelin/contracts/access/Ownable.sol	75e3c97011e75627ffb36f4a2799a4e887e1a3e27ed427490e82d7b6f51cc5c9
@openzeppelin/contracts/token/ERC20/ERC20.sol	f7831910f2ed6d32acff6431e5998baf50e4a00121303b27e974aab0ec637d79
@openzeppelin/contracts/token/ERC20/extensions/IERC20Metadata.sol	af5c8a77965cc82c33b7ff844deb9826166689e55dc037a7f2f790d057811990
@openzeppelin/contracts/token/ERC20/IERC20.sol	c2b06bb4572bb4f84bfc5477dadc0fcc497cb66c3a1bd53480e68bedc2e154a6
@openzeppelin/contracts/utils/Context.sol	1458c260d010a08e4c20a4a517882259a23a4baa0b5bd9add9fb6d6a1549814a
@uniswap/v2-core/contracts/interfaces/IUniswapV2Factory.sol	51d056199e3f5e41cb1a9f11ce581aa3e190cc982db5771ffeef8d8d1f962a0d
@uniswap/v2-core/contracts/interfaces/IUniswapV2Pair.sol	29c75e69ce173ff8b498584700fef76bc81498c1d98120e2877a1439f0c31b5a
@uniswap/v2-periphery/contracts/interfaces/IUniswapV2Router01.sol	0439ffe0fd4a5e1f4e22d71ddbda76d63d61679947d158cba4ee0a1da60cf663

@uniswap/v2-periphery/contracts/interfaces/IUniswapV2Router02.sol	a2900701961cb0b6152fc073856b972564f7c798797a4a044e83d2ab8f0e8d38
contracts/DefiMon.sol	ecc42a291c8102e496b191aaa9c8a1ccdf589c39abcfd5eced8cac7cb3dce866

Contract Analysis

Critical Medium Minor Pass

Severity	Code	Description
●	ST	Contract Owner is not able to stop or pause transactions
●	OCTD	Contract Owner is not able to transfer tokens from specific address
●	OTUT	Owner Transfer User's Tokens
●	ELFM	Contract Owner is not able to increase fees more than a reasonable percent (25%)
●	ULTW	Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent
●	MT	Contract Owner is not able to mint new tokens
●	BT	Contract Owner is not able to burn tokens from specific wallet
●	BC	Contract Owner is not able to blacklist wallets from selling

ELFM - Exceed Limit Fees Manipulation

Criticality	critical
Location	contract.sol#55

Description

The contract owner has the authority to increase over the allowed limit of 25%. The owner may take advantage of it by calling the `setTransferFee` function with a high percentage value.

```
function setTransferFee(uint256 _transferFee) external onlyOwner {
    transferFee = _transferFee;
}
```

Recommendation

The contract could embody a check for the maximum acceptable value.

The team should carefully manage the private keys of the owner’s account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

ULTW - Unlimited Liquidity to Team Wallet

Criticality	minor
Location	contract.sol#L127

Description

The contract owner has the authority to transfer funds without limit to the team wallet. These funds have been accumulated from fees collected from the contract. The owner may take advantage of it by calling the `swapAndDistribute()` method.

```
function swapAndDistribute(uint256 tokenAmount) public {
    removeFee = true;
    swapTokensForBNB(tokenAmount);
    removeFee = false;
    feeCollector.call{value: address(this).balance}("");
}
```

Recommendation

The contract could embody a check for the maximum amount of funds that can be swapped. Since a huge amount may volatile the token's price.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

BC - Blacklisted Contracts

Criticality	medium
Location	contract.sol#L93

Description

The contract owner has the authority to stop contracts from transactions. The owner may take advantage of it by calling the `setBlacklist` function.

```
require(!blacklist[from], "DFC: Account is blacklisted");
```

Recommendation

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

Contract Diagnostics

Critical Medium Minor

Severity	Code	Description
	L01	Public Function could be Declared External
	L04	Conformance to Solidity Naming Conventions
	L07	Missing Events Arithmetic

L01 - Public Function could be Declared External

Criticality	minor
Location	contracts/DefiMon.sol#L43,47

Description

Public functions that are never called by the contract should be declared external to save gas.

```
isExcludedFromFee
isBlacklisted
```

Recommendation

Use the external attribute for functions never called from the contract.

L04 - Conformance to Solidity Naming Conventions

Criticality	minor
Location	contracts/DefiMon.sol#L43,47,51,55,59,63,69,75

Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow _ at the beginning of the mixed_case match for private variables and unused parameters.

```
_address
_discountedTransferFee
_transferFee
_feeCollector
```

Recommendation

Follow the Solidity naming convention.
https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions

L07 - Missing Events Arithmetic

Criticality	minor
Location	contracts/DefiMon.sol#L55

Description

Detected missing events for critical arithmetic parameters. There are functions that have no event emitted, so it is difficult to track off-chain changes.

```
transferFee = _transferFee
```

Recommendation

Emit an event for critical parameter changes.

Contract Functions

Contract	Type	Bases		
	Function Name	**Visibility**	**Mutability**	**Modifiers**
Ownable	Implementation	Context		
	<Constructor>	Public	✓	-
	owner	Public		-
	renounceOwnership	Public	✓	onlyOwner
	transferOwnership	Public	✓	onlyOwner
	_transferOwnership	Internal	✓	
ERC20	Implementation	Context, IERC20, IERC20Metadata		
	<Constructor>	Public	✓	-
	name	Public		-
	symbol	Public		-
	decimals	Public		-
	totalSupply	Public		-
	balanceOf	Public		-
	transfer	Public	✓	-
	allowance	Public		-
	approve	Public	✓	-
	transferFrom	Public	✓	-
	increaseAllowance	Public	✓	-
	decreaseAllowance	Public	✓	-
	_transfer	Internal	✓	
	_mint	Internal	✓	
	_burn	Internal	✓	
	_approve	Internal	✓	
	_spendAllowance	Internal	✓	
	_beforeTokenTransfer	Internal	✓	
	_afterTokenTransfer	Internal	✓	

IERC20Metadata	Interface	IERC20		
	name	External		-
	symbol	External		-
	decimals	External		-
IERC20	Interface			
	totalSupply	External		-
	balanceOf	External		-
	transfer	External	✓	-
	allowance	External		-
	approve	External	✓	-
	transferFrom	External	✓	-
Context	Implementation			
	_msgSender	Internal		
	_msgData	Internal		
IUniswapV2Factory	Interface			
	feeTo	External		-
	feeToSetter	External		-
	getPair	External		-
	allPairs	External		-
	allPairsLength	External		-
	createPair	External	✓	-
	setFeeTo	External	✓	-
	setFeeToSetter	External	✓	-
IUniswapV2Pair	Interface			
	name	External		-
	symbol	External		-
	decimals	External		-
	totalSupply	External		-

	balanceOf	External		-
	allowance	External		-
	approve	External	✓	-
	transfer	External	✓	-
	transferFrom	External	✓	-
	DOMAIN_SEPARATOR	External		-
	PERMIT_TYPEHASH	External		-
	nonces	External		-
	permit	External	✓	-
	MINIMUM_LIQUIDITY	External		-
	factory	External		-
	token0	External		-
	token1	External		-
	getReserves	External		-
	price0CumulativeLast	External		-
	price1CumulativeLast	External		-
	kLast	External		-
	mint	External	✓	-
	burn	External	✓	-
	swap	External	✓	-
	skim	External	✓	-
	sync	External	✓	-
	initialize	External	✓	-
IUniswapV2Router01	Interface			
	factory	External		-
	WETH	External		-
	addLiquidity	External	✓	-
	addLiquidityETH	External	Payable	-
	removeLiquidity	External	✓	-
	removeLiquidityETH	External	✓	-
	removeLiquidityWithPermit	External	✓	-
	removeLiquidityETHWithPermit	External	✓	-
	swapExactTokensForTokens	External	✓	-
	swapTokensForExactTokens	External	✓	-

	swapExactETHForTokens	External	Payable	-
	swapTokensForExactETH	External	✓	-
	swapExactTokensForETH	External	✓	-
	swapETHForExactTokens	External	Payable	-
	quote	External		-
	getAmountOut	External		-
	getAmountIn	External		-
	getAmountsOut	External		-
	getAmountsIn	External		-
IUniswapV2Router02	Interface	IUniswapV2Router01		
	removeLiquidityETHSupportingFeeOnTransferTokens	External	✓	-
	removeLiquidityETHWithPermitSupportingFeeOnTransferTokens	External	✓	-
	swapExactTokensForTokensSupportingFeeOnTransferTokens	External	✓	-
	swapExactETHForTokensSupportingFeeOnTransferTokens	External	Payable	-
	swapExactTokensForETHSupportingFeeOnTransferTokens	External	✓	-
DefiMon	Implementation	ERC20, Ownable		
	<Constructor>	Public	✓	ERC20
	<Receive Ether>	External	Payable	-
	isBlacklisted	Public		-
	isExcludedFromFee	Public		-
	setFeeCollector	External	✓	onlyOwner
	setTransferFee	External	✓	onlyOwner
	setDiscountedTransferFee	External	✓	onlyOwner
	excludeFromFee	External	✓	onlyOwner
	setAMMPair	External	✓	onlyOwner
	setBlacklist	External	✓	onlyOwner
	enableTrading	External	✓	onlyOwner
	_transfer	Internal	✓	
	swapBNBForTokens	External	Payable	-

	_swapBNBForTokens	Internal	✓	
	swapAndDistribute	Public	✓	-
	swapTokensForBNB	Internal	✓	

Contract Flow



Domain Info

Domain Name	defimon.io
Registry Domain ID	a034562001904c78832aa46923c6af74-DONUTS
Creation Date	2021-11-27T04:33:08Z
Updated Date	2022-04-12T21:45:36Z
Registry Expiry Date	2022-11-27T04:33:08Z
Registrar WHOIS Server	key-systems.net
Registrar URL	http://key-systems.net
Registrar	Key-Systems GmbH
Registrar IANA ID	269

The domain has been created 5 months before the creation of the audit. It will expire in 7 months.

There is no public billing information, the creator is protected by the privacy settings.

Summary

There are some functions that can be abused by the owner like manipulating fees, transferring funds to the team’s wallet and blacklisting addresses. A multi-wallet signing pattern will provide security against potential hacks. Temporarily locking the contract or renouncing ownership will eliminate all the contract threats.

Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Cyberscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Cyberscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Cyberscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Cyberscope team disclaims any liability for the resulting losses.

About Cyberscope

Coinscope audit and K.Y.C. service has been rebranded to Cyberscope.

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Cyberscope and Coinscope are aiming to make crypto discoverable and efficient globally. They provides all the essential tools to assist users draw their own conclusions.



The Cyberscope team

https://www.cyberscope.io