



CFG NINJA AUDITS

Security Assessment

Ether Checks Token

June 15, 2023

Audit Status: Pass

Audit Edition: SAFU



POWERED BY
BLADE POOL

Risk Analysis

Classifications of Manual Risk Results

Classification	Description
 Critical	Danger or Potential Problems.
 High	Be Careful or Fail test.
 Low	Pass, Not-Detected or Safe Item.
 Informational	Function Detected

Manual Code Review Risk Results

Contract Priviledge	Description
 Buy Tax	0
 Sale Tax	0
 Cannot Sale	Pass
 Cannot Sale	Pass
 Max Tax	0
 Modify Tax	Not Detected
 Fee Check	Pass
 Is Honeypot?	Not Detected
 Trading Cooldown	Not Detected
 Can Pause Trade?	SAFU Dev Need to Enable Trade.
 Pause Transfer?	Detected,SAFU Dev need to enable trade.



Contract Priviledge	Description
● Max Tx?	Pass
● Is Anti Whale?	Not Detected
● Is Anti Bot?	Not Detected
● Is Blacklist?	Not Detected
● Blacklist Check	Pass
● is Whitelist?	Not Detected
● Can Mint?	Pass
● Is Proxy?	Not Detected
● Can Take Ownership?	Not Detected
● Hidden Owner?	Not Detected
● Owner	0xCd5F22EA75eefAe0B5AfE2Ed8C59c9cc55f11FFC
● Self Destruct?	Not Detected
● External Call?	Not Detected
● Other?	Not Detected
● Holders	1
● Auditor Confidence	medium

The following quick summary it's added to the project overview; however, there are more details about the audit and its results. Please read every detail.



Project Overview

Token Summary

Parameter	Result
Address	0x3212D498B8548fFba81985cF15f4317fDF246E73
Name	Ether Checks
Token Tracker	Ether Checks (CHECK)
Decimals	18
Supply	7,777,777,777,777
Platform	Ethereum
compiler	v0.8.19+commit.7dd6d404
Contract Name	CHECK
Optimization	Yes with 200 runs
LicenseType	MIT
Language	Solidity
Codebase	https://etherscan.io/address/0x3212d498b8548ffba81985cf15f4317fdf246e73#code
Payment Tx	0xab0f5b83f27cff6ffcf9c025f8aa1575edac749e7b2613c679e7f14541ec912b



Project Overview

Simulation Summary

Parameter	Result
Transfer From Owner	Pass
Transfer From Holder	Pass
Add Liquidity	Pass
RemoveLiquidity	Pass
Buy from Owner	Pass
Buy from Holder	Pass,after enableTrade
Sale from Owner	Pass
Sale from Holder	Pass,after enableTrade
Remove Liquidity	Pass
SwapAndLiquify	Pass
SwapAndSale w/Fee	Pass
SwapAndSale TX	0x6f4c0865caac296f481010ed503d1d95cdba19703430b006e0910b7f600640ae
SwapAndSaleNoFee	Pass
SwapAndSale No/Fee TX	0x33d59847fd6c07132f1ff344a0a183cf18ffea15340cc766af79f6095140d47d



Parameter	Result
ExcludeFromFees	Pass
LaunchPad	PinkSale
Pool Creation	Pass
Pool Creation TX	0x8652e1e4054864b294c034339c37f8 25c6c4230ea769d2dab8acc4d3d63f99 42
Pool Finalize	Pass
Pool Finalize TX	0x8652e1e4054864b294c034339c37f8 25c6c4230ea769d2dab8acc4d3d63f99 42
Enable	Pass

The following quick summary it's added to the project overview; however, there are more details about the audit and its results. Please read every detail.



Main Contract Assessed

Contract Name

Name	Contract	Live
Ether Checks	0x3212D498B8548fFba81985cF15f4317fDF246E73	Yes

TestNet Contract Assessed

Contract Name

Name	Contract	Live
Ether Checks	0x081B0C5f79E7DfD3a4611c3581756386Cb2E7803	Yes


Solidity Code Provided

SolID	File Sha-1	FileName
Check	033a332ca592bb1cdddc03591a60dfccd4237df90	check.sol
Check		
Check		
Check		



Call Graph

The contract for Ether Checks has the following call graph structure.



Smart Contract Vulnerability Checks

The Smart Contract Weakness Classification Registry (SWC Registry) is an implementation of the weakness classification scheme proposed in EIP-1470. It is loosely aligned to the terminologies and structure used in the Common Weakness Enumeration (CWE) while overlaying a wide range of weakness variants that are specific to smart contracts.

ID	Severity	Name	File	location
SWC-100	Pass	Function Default Visibility	check.sol	L: 0 C: 0
SWC-101	Pass	Integer Overflow and Underflow.	check.sol	L: 0 C: 0
SWC-102	Pass	Outdated Compiler Version file.	check.sol	L: 0 C: 0
SWC-103	Pass	A floating pragma is set.	check.sol	L: 0 C: 0
SWC-104	Pass	Unchecked Call Return Value.	check.sol	L: 0 C: 0
SWC-105	Pass	Unprotected Ether Withdrawal.	check.sol	L: 0 C: 0
SWC-106	Pass	Unprotected SELFDESTRUCT Instruction	check.sol	L: 0 C: 0
SWC-107	Pass	Read of persistent state following external call.	check.sol	L: 0 C: 0
SWC-108	Pass	State variable visibility is not set..	check.sol	L: 0 C: 0
SWC-109	Pass	Uninitialized Storage Pointer.	check.sol	L: 0 C: 0
SWC-110	Pass	Assert Violation.	check.sol	L: 0 C: 0



ID	Severity	Name	File	location
SWC-111	Pass	Use of Deprecated Solidity Functions.	check.sol	L: 0 C: 0
SWC-112	Pass	Delegate Call to Untrusted Callee.	check.sol	L: 0 C: 0
SWC-113	Pass	Multiple calls are executed in the same transaction.	check.sol	L: 0 C: 0
SWC-114	Pass	Transaction Order Dependence.	check.sol	L: 0 C: 0
SWC-115	Pass	Authorization through tx.origin.	check.sol	L: 0 C: 0
SWC-116	Pass	A control flow decision is made based on The block.timestamp environment variable.	check.sol	L: 0 C: 0
SWC-117	Pass	Signature Malleability.	check.sol	L: 0 C: 0
SWC-118	Pass	Incorrect Constructor Name.	check.sol	L: 0 C: 0
SWC-119	Pass	Shadowing State Variables.	check.sol	L: 0 C: 0
SWC-120	Pass	Potential use of block.number as source of randommness.	check.sol	L: 0 C: 0
SWC-121	Pass	Missing Protection against Signature Replay Attacks.	check.sol	L: 0 C: 0
SWC-122	Pass	Lack of Proper Signature Verification.	check.sol	L: 0 C: 0
SWC-123	Pass	Requirement Violation.	check.sol	L: 0 C: 0
SWC-124	Pass	Write to Arbitrary Storage Location.	check.sol	L: 0 C: 0
SWC-125	Pass	Incorrect Inheritance Order.	check.sol	L: 0 C: 0




ID	Severity	Name	File	location
SWC-126	Pass	Insufficient Gas Griefing.	check.sol	L: 0 C: 0
SWC-127	Pass	Arbitrary Jump with Function Type Variable.	check.sol	L: 0 C: 0
SWC-128	Pass	DoS With Block Gas Limit.	check.sol	L: 0 C: 0
SWC-129	Pass	Typographical Error.	check.sol	L: 0 C: 0
SWC-130	Pass	Right-To-Left-Override control character (U+202E).	check.sol	L: 0 C: 0
SWC-131	Pass	Presence of unused variables.	check.sol	L: 0 C: 0
SWC-132	Pass	Unexpected Ether balance.	check.sol	L: 0 C: 0
SWC-133	Pass	Hash Collisions with Multiple Variable Length Arguments.	check.sol	L: 0 C: 0
SWC-134	Pass	Message call with hardcoded gas amount.	check.sol	L: 0 C: 0
SWC-135	Pass	Code With No Effects (Irrelevant/Dead Code).	check.sol	L: 0 C: 0
SWC-136	Pass	Unencrypted Private Data On-Chain.	check.sol	L: 0 C: 0

We scan the contract for additional security issues using MYTHX and industry-standard security scanning tools.



Inheritance

The contract for Ether Checks has the following inheritance structure.



Privileged Functions (onlyOwner)

Please Note if the contract is Renounced none of this functions can be executed.

Function Name	Parameters	Visibility
renounceOwnership		Public
transferOwnership	address newOwner	Public
enableTrading		External
setPresaleAddress		Public
changeWallets		External
changeLpPair		External
setNoFeeWallet		External



Smart Contract Advance Checks

ID	Severity	Name	Result	Status
CHECK-01	Low	Potential Sandwich Attacks.	Pass	Not-Found
CHECK-02	Low	Function Visibility Optimization	Pass	Not Detected
CHECK-03	Low	Lack of Input Validation.	Pass	Not Detected
CHECK-04	High	Centralized Risk In addLiquidity.	Pass	Not Detected
CHECK-05	Low	Missing Event Emission.	Pass	Not Detected
CHECK-06	Low	Conformance with Solidity Naming Conventions.	Pass	Not Detected
CHECK-07	Low	State Variables could be Declared Constant.	Pass	Not-Found
CHECK-08	Low	Dead Code Elimination.	Pass	Not-Found
CHECK-09	High	Third Party Dependencies.	Pass	Not Detected
CHECK-10	High	Initial Token Distribution.	Pass	Not-Found
CHECK-11	Low	AntiBot is present on the transfer.	Pass	Not Detected
CHECK-12	High	Centralization Risks In The X Role	Pass	Not-Found
CHECK-13	Informational	Extra Gas Cost For User..	Pass	Not Detected
CHECK-14	Medium	Unnecessary Use Of SafeMath	Pass	Not Detected
CHECK-15	Medium	Symbol Length Limitation due to Solidity Naming Standards.	Pass	Not-Found



ID	Severity	Name	Result	Status
CHECK-16	Medium	Taxes can be up to 100%	Pass	Not-Found
CHECK-17	Informational	Conformance to numeric notation best practice.	Pass	Not-Found
CHECK-18	Medium	Stop Transactions by using Enable Trade.	Fail	Detected



CHECK-18 | Stop Transactions by using Enable Trade.

Category	Severity	Location	Status
Logical Issue	 Medium	check.sol: 986, 13	 Detected

Description

Enable Trade is present on the following contract and when combined with Exclude from fees it can be considered a whitelist process, this will allow anyone to trade before others and can represent an issue for the holders.

Remediation

We recommend the project owner to carefully review this function and avoid problems when performing both actions.

Project Action



Technical Findings Summary

Classification of Risk

Severity	Description
 Critical	Risks are those that impact the safe functioning of a platform and must be addressed before launch. Users should not invest in any project with outstanding critical risks.
 High	Risks can include centralization issues and logical errors. Under specific circumstances, these major risks can lead to loss of funds and/or control of the project.
 Medium	Risks may not pose a direct risk to users' funds, but they can affect the overall functioning of a platform
 Low	Risks can be any of the above but on a smaller scale. They generally do not compromise the overall integrity of the Project, but they may be less efficient than other solutions.
 Informational	Errors are often recommended to improve the code's style or certain operations to fall within industry best practices. They usually do not affect the overall functioning of the code.

Findings

Severity	Found	Pending	Resolved
 Critical	1	0	0
 High	0	0	0
 Medium	0	0	0
 Low	0	0	0
 Informational	0	0	0
Total	1	0	0



Social Media Checks

Social Media	URL	Result
Twitter	https://twitter.com/EthereumChecks	Pass
Other		Fail
Website	https://etherchecks.io	Fail
Telegram		Fail

We recommend to have 3 or more social media sources including a completed working websites.

Social Media Information Notes:

Auditor Notes: undefined

Project Owner Notes:



Assessment Results

Score Results

Review	Score
Overall Score	88/100
Auditor Score	90/100
Review by Section	Score
Manual Scan Score	35/53
SWC Scan Score	37 /37
Advance Check Score	16 /19

The Following Score System Has been Added to this page to help understand the value of the audit, the maximum score is 100, however to attain that value the project must pass and provide all the data needed for the assessment. Our Passing Score has been changed to 80 Points, if a project does not attain 80% is an automatic failure. Read our notes and final assessment below.

Audit Passed



Assessment Results

Important Notes:

- No issues or vulnerabilities were found.
- this is a SAFU Code by Freddy zero tax.
- The website is down.
- Please DYOR on the project.

Auditor Score =90
Audit Passed



Appendix

Finding Categories

Centralization / Privilege

Centralization / Privilege findings refer to either feature logic or implementation of components that act against the nature of decentralization, such as explicit ownership or specialized access roles in combination with a mechanism to relocate funds.

Gas Optimization

Gas Optimization findings do not affect the functionality of the code but generate different, more optimal EVM opcodes resulting in a reduction on the total gas cost of a transaction.

Logical Issue

Logical Issue findings detail a fault in the logic of the linked code, such as an incorrect notion on how block.timestamp works.

Control Flow

Control Flow findings concern the access control imposed on functions, such as owner-only functions being invoke-able by anyone under certain circumstances.

Volatile Code

Volatile Code findings refer to segments of code that behave unexpectedly on certain edge cases that may result in a vulnerability.

Coding Style

Coding Style findings usually do not affect the generated byte-code but rather comment on how to make the codebase more legible and, as a result, easily maintainable.

Inconsistency

Inconsistency findings refer to functions that should seemingly behave similarly yet contain different code, such as a constructor assignment imposing different requirements on the input variables than a setter function.

Coding Best Practices

ERC 20 Coding Standards are a set of rules that each developer should follow to ensure the code meets a set of criteria and is readable by all the developers.



Disclaimer

CFGNINJA has conducted an independent security assessment to verify the integrity of and highlight any vulnerabilities or errors, intentional or unintentional, that may be present in the reviewed code for the scope of this assessment. This report does not constitute agreement, acceptance, or advocacy for the Project, and users relying on this report should not consider this as having any merit for financial advice in any shape, form, or nature. The contracts audited do not account for any economic developments that the Project in question may pursue, and the veracity of the findings thus presented in this report relate solely to the proficiency, competence, aptitude, and discretion of our independent auditors, who make no guarantees nor assurance that the contracts are entirely free of exploits, bugs, vulnerabilities or deprecation of technologies.

All information provided in this report does not constitute financial or investment advice, nor should it be used to signal that any persons reading this report should invest their funds without sufficient individual due diligence, regardless of the findings presented. Information is provided 'as is, and CFGNINJA is under no covenant to audited completeness, accuracy, or solidity of the contracts. In no event will CFGNINJA or its partners, employees, agents, or parties related to the provision of this audit report be liable to any parties for, or lack thereof, decisions or actions with regards to the information provided in this audit report.

The assessment services provided by CFGNINJA are subject to dependencies and are under continuing development. You agree that your access or use, including but not limited to any services, reports, and materials, will be at your sole risk on an as-is, where-is, and as-available basis. Cryptographic tokens are emergent technologies with high levels of technical risk and uncertainty. The assessment reports could include false positives, negatives, and unpredictable results. The services may access, and depend upon, multiple layers of third parties.

