Cyberscope

Audit Report

World Bet Token

August 2022

Type	BEP20
Network	BSC
Address	0xCA70e0929C6534757853b34bFcd294B22ae457F6
Audited by	© cyberscope

Table of Contents

Table of Contents 1
Contract Review 3
Source Files 3
Audit Updates 4
Contract Analysis 5
Contract Diagnostics 6
L01 - Public Function could be Declared External 7
Description 7
Recommendation 7
L04 - Conformance to Solidity Naming Conventions 8
Description 8
Recommendation 8
L05 - Unused State Variable 9
Description 9
Recommendation 9
L07 - Missing Events Arithmetic 10
Description 10
Recommendation 10
L09 - Dead Code Elimination 11
Description 11
Recommendation 11
L13 - Divide before Multiply Operation 12
Description 12
Recommendation 12
Contract Functions 13
Contract Flow 18

Domain Info 19

Summary 20

Disclaimer 21

About Cyberscope 22

Contract Review

Contract Name	WorldBetToken
Compiler Version	v0.7.6+commit.7338295f
Optimization	200 runs
Licence	Unlicense
Explorer	https://bscscan.com/token/0xCA70e0929C6534757853b34bFcd294B22ae457F6
Symbol	WBT
Decimals	18
Total Supply	100,000,000
Domain	https://worldbet.club

Source Files

Filename	**SHA256**
contract.sol	383f12842c264295722dad0bb62a43c57670a5ea2d5cf63f0a5f4746b3443185

Audit Updates

Initial Audit	3rd August 2022 https://github.com/cyberscope-io/audits/blob/main/wbt/v1/audit.pdf
Corrected phase 1	5th August 2022 https://github.com/cyberscope-io/audits/blob/main/wbt/v2/audit.pdf
Corrected phase 2	8th August 2022 https://github.com/cyberscope-io/audits/blob/main/wbt/v3/audit.pdf
Corrected phase 3	14th August 2022 https://github.com/cyberscope-io/audits/blob/main/wbt/v4/audit.pdf
Corrected phase 4	16th August 2022 https://github.com/cyberscope-io/audits/blob/main/wbt/v5/audit.pdf
Corrected phase 4	22nd August 2022

Contract Analysis

● Critical ● Medium ● Minor / Informative ● Pass

Severity	Code	Description	Status
●	ST	Stops Transactions	Passed
●	OCTD	Transfers Contract's Tokens	Passed
●	OTUT	Transfers User's Tokens	Passed
●	ELFM	Exceeds Fees Limit	Passed
●	ULTW	Transfers Liquidity to Team Wallet	Passed
●	MT	Mints Tokens	Passed
●	BT	Burns Tokens	Passed
●	BC	Blacklists Addresses	Passed

Contract Diagnostics

Critical Medium Minor / Informative

Severity	Code	Description	Status
	L01	Public Function could be Declared External	Unresolved
	L04	Conformance to Solidity Naming Conventions	Unresolved
	L05	Unused State Variable	Unresolved
	L07	Missing Events Arithmetic	Unresolved
	L09	Dead Code Elimination	Unresolved
	L13	Divide before Multiply Operation	Unresolved

L01 - Public Function could be Declared External

Criticality	minor / informative
Location	contract.sol#L494,490,486,526,513,531
Status	Unresolved

Description

Public functions that are never called by the contract should be declared external to save gas.

```
decimals
symbol
name
renounceOwnership
owner
transferOwnership
```

Recommendation

Use the external attribute for functions never called from the contract.

L04 - Conformance to Solidity Naming Conventions

Criticality	minor / informative
Location	contract.sol#L602,987,547,960,601,944,983,277,548,546,917,600,41,577,275,979,937,308,551,938,574
Status	Unresolved

Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow _ at the beginning of the mixed_case match for private variables and unused parameters.

```
_totalSupply
_address
_symbol
_flag
_lastAddLiquidityTime
_burnFee
_pairAddress
PERMIT_TYPEHASH
_liquidityFee
...
```

Recommendation

Follow the Solidity naming convention.
https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions.

L05 - Unused State Variable

Criticality	minor / informative
Location	contract.sol#L353
Status	Unresolved

Description

There are segments that contain unused state variables.

```
MAX_INT256
```

Recommendation

Remove unused state variables.

L07 - Missing Events Arithmetic

Criticality	minor / informative
Location	contract.sol#L944
Status	Unresolved

Description

Detected missing events for critical arithmetic parameters. There are functions that have no event emitted, so it is difficult to track off-chain changes.

```
treasuryFee = _treasuryFee
```

Recommendation

Emit an event for critical parameter changes.

L09 - Dead Code Elimination

Criticality	minor / informative
Location	contract.sol#L381
Status	Unresolved

Description

Functions that are not used in the contract, and make the code's size bigger.

```
abs
```

Recommendation

Remove unused functions.

L13 - Divide before Multiply Operation

Criticality	minor / informative
Location	contract.sol#L969
Status	Unresolved

Description

Performing divisions before multiplications may cause lose of prediction.

```
liquidityBalance = _gonBalances[pair].div(_gonsPerFragment)
```

Recommendation

The multiplications should be prior to the divisions.

Contract Functions

Contract	Type	Bases		
	Function Name	**Visibility**	**Mutability**	**Modifiers**
IPancakeSwap Factory	Interface			
	feeTo	External		-
	feeToSetter	External		-
	getPair	External		-
	allPairs	External		-
	allPairsLength	External		-
	createPair	External	✓	-
	setFeeTo	External	✓	-
	setFeeToSetter	External	✓	-
IPancakeSwap Router	Interface			
	factory	External		-
	WETH	External		-
	addLiquidity	External	✓	-
	addLiquidityETH	External	Payable	-
	removeLiquidity	External	✓	-
	removeLiquidityETH	External	✓	-
	removeLiquidityWithPermit	External	✓	-
	removeLiquidityETHWithPermit	External	✓	-
	swapExactTokensForTokens	External	✓	-
	swapTokensForExactTokens	External	✓	-
	swapExactETHForTokens	External	Payable	-
	swapTokensForExactETH	External	✓	-
	swapExactTokensForETH	External	✓	-
	swapETHForExactTokens	External	Payable	-
	quote	External		-
	getAmountOut	External		-


	getAmountIn	External		-
	getAmountsOut	External		-
	getAmountsIn	External		-
	removeLiquidityETHSupportingFeeOnTransferTokens	External	✓	-
	removeLiquidityETHWithPermitSupportingFeeOnTransferTokens	External	✓	-
	swapExactTokensForTokensSupportingFeeOnTransferTokens	External	✓	-
	swapExactETHForTokensSupportingFeeOnTransferTokens	External	Payable	-
	swapExactTokensForETHSupportingFeeOnTransferTokens	External	✓	-
IPancakeSwapPair	Interface			
	name	External		-
	symbol	External		-
	decimals	External		-
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	approve	External	✓	-
	transfer	External	✓	-
	transferFrom	External	✓	-
	DOMAIN_SEPARATOR	External		-
	PERMIT_TYPEHASH	External		-
	nonces	External		-
	permit	External	✓	-
	MINIMUM_LIQUIDITY	External		-
	factory	External		-
	token0	External		-
	token1	External		-
	getReserves	External		-
	price0CumulativeLast	External		-
	price1CumulativeLast	External		-
	kLast	External		-

	mint	External	✓	-
	burn	External	✓	-
	swap	External	✓	-
	skim	External	✓	-
	sync	External	✓	-
	initialize	External	✓	-
SafeMathInt	Library			
	mul	Internal		
	div	Internal		
	sub	Internal		
	add	Internal		
	abs	Internal		
SafeMath	Library			
	add	Internal		
	sub	Internal		
	sub	Internal		
	mul	Internal		
	div	Internal		
	div	Internal		
	mod	Internal		
IERC20	Interface			
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	transfer	External	✓	-
	approve	External	✓	-
	transferFrom	External	✓	-
ERC20Detailed	Implementation	IERC20		
	<Constructor>	Public	✓	-
	name	Public		-
	symbol	Public		-

	decimals	Public		-
Ownable	Implementation			
	<Constructor>	Public	✓	-
	owner	Public		-
	isOwner	Public		-
	renounceOwnership	Public	✓	onlyOwner
	transferOwnership	Public	✓	onlyOwner
	_transferOwnership	Internal	✓	
WorldBetToken	Implementation	ERC20Detailed, Ownable		
	<Constructor>	Public	✓	ERC20Detailed Ownable
	transfer	External	✓	validRecipient
	transferFrom	External	✓	validRecipient
	_basicTransfer	Internal	✓	
	_transferFrom	Internal	✓	
	takeFee	Internal	✓	
	swapBack	Internal	✓	swapping
	addLiquidity	Internal	✓	swapping
	withdrawAllToTreasury	External	✓	swapping onlyOwner
	shouldTakeFee	Internal		
	shouldSwapBack	Internal		
	shouldAddLiquidity	Internal		
	allowance	External		-
	decreaseAllowance	External	✓	-
	increaseAllowance	External	✓	-
	approve	External	✓	-
	checkFeeExempt	External		-
	getCirculatingSupply	Public		-
	isNotInSwap	External		-
	manualSync	External	✓	-
	setFeeReceivers	External	✓	onlyOwner
	setTaxFee	External	✓	onlyOwner

	setEnableAntiBot	External	✓	onlyOwner
	setAutoAddLiquidity	External	✓	onlyOwner
	getLiquidityBacking	External		-
	setWhitelist	External	✓	onlyOwner
	setPairAddress	External	✓	onlyOwner
	setLP	External	✓	onlyOwner
	totalSupply	External		-
	balanceOf	External		-
	<Receive Ether>	External	Payable	-

Contract Flow



Domain Info

Domain Name	worldbet.club
Registry Domain ID	DFC42EC8E80884B30898C5E6B85B46FAF-GDREG
Creation Date	2022-07-29T03:57:21Z
Updated Date	2022-08-03T03:57:21Z
Registry Expiry Date	2023-07-29T03:57:21Z
Registrar WHOIS Server	whois.namecheap.com
Registrar URL	http://www.namecheap.com
Registrar	NameCheap, Inc.
Registrar IANA ID	1068

The domain was created 12 months before the creation of the audit.

There is no public billing information, the creator is protected by the privacy settings.

Summary

World Bet Token is an interesting project that has a friendly and growing community. The Smart Contract analysis reported no compiler error or critical issues. The contract Owner can access some admin functions that can not be used in a malicious way to disturb the users' transactions. There is also a limit of max 25% fees.

Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Cyberscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Cyberscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Cyberscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Cyberscope team disclaims any liability for the resulting losses.

About Cyberscope

Coinscope audit and K.Y.C. service has been rebranded to Cyberscope.

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Cyberscope and Coinscope are aiming to make crypto discoverable and efficient globally. They provide all the essential tools to assist users draw their own conclusions.



The Cyberscope team

https://www.cyberscope.io

Cyberscope

Audit Report

World Bet Token

August 2022

SHA256 a75b655075a4622b850ba9d4648ff1d545348bf2f0f392681682253d6208715d

Audited by © cyberscope

Table of Contents

Table of Contents 1
Contract Review 3
Source Files 3
Audit Updates 3
Contract Analysis 4
ELFM - Exceed Limit Fees Manipulation 5
Description 5
Recommendation 5
ULTW - Unlimited Liquidity to Team Wallet 6
Description 6
Recommendation 6
Contract Diagnostics 7
US - Untrusted Source 8
Description 8
Recommendation 8
L01 - Public Function could be Declared External 9
Description 9
Recommendation 9
L02 - State Variables could be Declared Constant 10
Description 10
Recommendation 10
L04 - Conformance to Solidity Naming Conventions 11
Description 11
Recommendation 11
L05 - Unused State Variable 12
Description 12

Recommendation 12
L09 - Dead Code Elimination 13
Description 13
Recommendation 13
L13 - Divide before Multiply Operation 14
Description 14
Recommendation 14
Contract Functions 15
Contract Flow 20
Domain Info 21
Summary 22
Disclaimer 23
About Cyberscope 24

Contract Review

Contract Name	WorldBetToken
Testing Deploy	https://testnet.bscscan.com/address/0x1867118e465BAE5840Ca67A093B770D08aA79DA0
Symbol	WBT
Decimals	18
Total Supply	100,000,000
Domain	https://worldbet.club

Source Files

Filename	**SHA256**
contract.sol	a75b655075a4622b850ba9d4648ff1d545348bf2f0f392681682253d6208715d

Audit Updates

Initial Audit	3rd August 2022
Corrected	

Contract Analysis

Critical Medium Minor Pass

Severity	Code	Description
●	ST	Contract Owner is not able to stop or pause transactions
●	OCTD	Contract Owner is not able to transfer tokens from specific address
●	OTUT	Owner Transfer User's Tokens
●	ELFM	Contract Owner is not able to increase fees more than a reasonable percent (25%)
●	ULTW	Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent
●	MT	Contract Owner is not able to mint new tokens
●	BT	Contract Owner is not able to burn tokens from specific wallet
●	BC	Contract Owner is not able to blacklist wallets from selling

ELFM - Exceed Limit Fees Manipulation

Criticality	critical
Location	contract.sol#L704

Description

The contract owner has the authority to increase over the allowed limit of 25%. The owner may take advantage of it by setting antiBotEnable. As a result for the next 10 minutes the _totalFee is set to 85%.

```
function takeFee(
    address sender,
    address recipient,
    uint256 gonAmount
) internal returns (uint256) {
    uint256 _totalFee = totalFee;
    uint256 activeTime = lastAntiTime + antiTime;

    if (recipient == pair) {
        _totalFee = totalFee.add(sellFee);
    }

    if(antiBotEnable &&  block.timestamp < activeTime){
        _totalFee = 85;
    }
```

Recommendation

The contract owner should not have permission to re-enable anti bot functionality after the trade opens.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

ULTW - Unlimited Liquidity to Team Wallet

Criticality	minor
Location	contract.sol#L817

Description

The contract owner has the authority to transfer funds without limit to the team wallet. These funds have been accumulated from fees collected from the contract. The owner may take advantage of it by calling the `withdrawAllToTreasury` method.

```
function withdrawAllToTreasury() external swapping onlyOwner {
        uint256 amountToSwap = _gonBalances[address(this)].div(
            _gonsPerFragment
        );
        require(
            amountToSwap > 0,
            "There is no token deposited in token contract"
        );
        address[] memory path = new address[](2);
        path[0] = address(this);
        path[1] = router.WETH();
        router.swapExactTokensForETHSupportingFeeOnTransferTokens(
            amountToSwap,
            0,
            path,
            treasuryReceiver,
            block.timestamp
        );
    }
```

Recommendation

The contract could embody a check for the maximum amount of funds that can be swapped. Since a huge amount may volatile the token's price.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

Contract Diagnostics

Critical Medium Minor

Severity	Code	Description
	STC	Succeeded Transfer Check
	L01	Public Function could be Declared External
	L02	State Variables could be Declared Constant
	L04	Conformance to Solidity Naming Conventions
	L05	Unused State Variable
	L09	Dead Code Elimination
	L13	Divide before Multiply Operation

STC - Succeeded Transfer Check

Criticality	minor
Location	contract.sol#L760,765

Description

According to the ERC20 specification, the transfer methods should be checked if the result is successful. Otherwise, the contract may wrongly assume that the transfer has been established.

```
(bool success, ) = payable(treasuryReceiver).call{
    value: amountETHToTreasuryAndReward.mul(treasuryFee).div(_currentFee),
    gas: 30000
}("");

(success, ) = payable(rewardReceiver).call{
    value: amountETHToTreasuryAndReward.mul(rewardFee).div(
        _currentFee
    ),
    gas: 30000
}("");
```

Recommendation

The contract should check if the result of the transfer methods is successful.

L01 - Public Function could be Declared External

Criticality	minor
Location	contract.sol#L491,487,483,523,510,528

Description

Public functions that are never called by the contract should be declared external to save gas.

```
transferOwnership
owner
renounceOwnership
name
symbol
decimals
```

Recommendation

Use the external attribute for functions never called from the contract.

L02 - State Variables could be Declared Constant

Criticality	minor
Location	contract.sol#L563,573,564,566,562,565

Description

Constant state variables should be declared constant to save gas.

```
liquidityFee
treasuryFee
sellFee
burnFee
antiTime
rewardFee
```

Recommendation

Add the constant attribute to state variables that never change.

L04 - Conformance to Solidity Naming Conventions

Criticality	minor
Location	contract.sol#L600,972,544,945,599,968,274,545,543,911,598,38,272,964,931,305,548,932,570,939

Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow _ at the beginning of the mixed_case match for private variables and unused parameters.

```
_antiBotEnable
feeDenominator
_rewardReceiver
_isFeeExempt
MINIMUM_LIQUIDITY
_treasuryReceiver
_addr
DOMAIN_SEPARATOR
WETH
...
```

Recommendation

Follow the Solidity naming convention.
https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions.

L05 - Unused State Variable

Criticality	minor
Location	contract.sol#L596,350

Description

There are segments that contain unused state variables.

```
MAX_INT256
MAX_SUPPLY
```

Recommendation

Remove unused state variables.

L09 - Dead Code Elimination

Criticality	minor
Location	contract.sol#L378

Description

Functions that are not used in the contract, and make the code's size bigger.

```
abs
```

Recommendation

Remove unused functions.

L13 - Divide before Multiply Operation

Criticality	minor
Location	contract.sol#L954

Description

Performing divisions before multiplications may cause lose of prediction.

```
liquidityBalance = _gonBalances[pair].div(_gonsPerFragment)
```

Recommendation

The multiplications should be prior to the divisions.

Contract Functions

Contract	Type	Bases		
	Function Name	Visibility	Mutability	Modifiers
IPancakeSwap Factory	Interface			
	feeTo	External		-
	feeToSetter	External		-
	getPair	External		-
	allPairs	External		-
	allPairsLength	External		-
	createPair	External	✓	-
	setFeeTo	External	✓	-
	setFeeToSetter	External	✓	-
IPancakeSwap Router	Interface			
	factory	External		-
	WETH	External		-
	addLiquidity	External	✓	-
	addLiquidityETH	External	Payable	-
	removeLiquidity	External	✓	-
	removeLiquidityETH	External	✓	-
	removeLiquidityWithPermit	External	✓	-
	removeLiquidityETHWithPermit	External	✓	-
	swapExactTokensForTokens	External	✓	-
	swapTokensForExactTokens	External	✓	-
	swapExactETHForTokens	External	Payable	-
	swapTokensForExactETH	External	✓	-
	swapExactTokensForETH	External	✓	-
	swapETHForExactTokens	External	Payable	-
	quote	External		-
	getAmountOut	External		-


	getAmountIn	External		-
	getAmountsOut	External		-
	getAmountsIn	External		-
	removeLiquidityETHSupportingFeeOnTransferTokens	External	✓	-
	removeLiquidityETHWithPermitSupportingFeeOnTransferTokens	External	✓	-
	swapExactTokensForTokensSupportingFeeOnTransferTokens	External	✓	-
	swapExactETHForTokensSupportingFeeOnTransferTokens	External	Payable	-
	swapExactTokensForETHSupportingFeeOnTransferTokens	External	✓	-
IPancakeSwapPair	Interface			
	name	External		-
	symbol	External		-
	decimals	External		-
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	approve	External	✓	-
	transfer	External	✓	-
	transferFrom	External	✓	-
	DOMAIN_SEPARATOR	External		-
	PERMIT_TYPEHASH	External		-
	nonces	External		-
	permit	External	✓	-
	MINIMUM_LIQUIDITY	External		-
	factory	External		-
	token0	External		-
	token1	External		-
	getReserves	External		-
	price0CumulativeLast	External		-
	price1CumulativeLast	External		-
	kLast	External		-

	mint	External	✓	-
	burn	External	✓	-
	swap	External	✓	-
	skim	External	✓	-
	sync	External	✓	-
	initialize	External	✓	-
SafeMathInt	Library			
	mul	Internal		
	div	Internal		
	sub	Internal		
	add	Internal		
	abs	Internal		
SafeMath	Library			
	add	Internal		
	sub	Internal		
	sub	Internal		
	mul	Internal		
	div	Internal		
	div	Internal		
	mod	Internal		
IERC20	Interface			
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	transfer	External	✓	-
	approve	External	✓	-
	transferFrom	External	✓	-
ERC20Detailed	Implementation	IERC20		
	<Constructor>	Public	✓	-
	name	Public		-

	symbol	Public		-
	decimals	Public		-
Ownable	Implementation			
	<Constructor>	Public	✓	-
	owner	Public		-
	isOwner	Public		-
	renounceOwnership	Public	✓	onlyOwner
	transferOwnership	Public	✓	onlyOwner
	_transferOwnership	Internal	✓	
WorldBetToken	Implementation	ERC20Detailed, Ownable		
	<Constructor>	Public	✓	ERC20Detailed Ownable
	transfer	External	✓	validRecipient
	transferFrom	External	✓	validRecipient
	_basicTransfer	Internal	✓	
	_transferFrom	Internal	✓	
	takeFee	Internal	✓	
	swapBack	Internal	✓	swapping
	addLiquidity	Internal	✓	swapping
	withdrawAllToTreasury	External	✓	swapping onlyOwner
	shouldTakeFee	Internal		
	shouldSwapBack	Internal		
	shouldAddLiquidity	Internal		
	allowance	External		-
	decreaseAllowance	External	✓	-
	increaseAllowance	External	✓	-
	approve	External	✓	-
	checkFeeExempt	External		-
	getCirculatingSupply	Public		-
	isNotInSwap	External		-
	manualSync	External	✓	-

	setFeeReceivers	External	✓	onlyOwner
	setAntiBot	External	✓	onlyOwner
	setAutoAddLiquidity	External	✓	onlyOwner
	getLiquidityBacking	External		-
	setWhitelist	External	✓	onlyOwner
	setPairAddress	External	✓	onlyOwner
	setLP	External	✓	onlyOwner
	totalSupply	External		-
	balanceOf	External		-
	<Receive Ether>	External	Payable	-

Contract Flow



Domain Info

Domain Name	worldbet.club
Registry Domain ID	DFC42EC8E80884B30898C5E6B85B46FAF-GDREG
Creation Date	2022-07-29T03:57:21Z
Updated Date	2022-08-03T03:57:21Z
Registry Expiry Date	2023-07-29T03:57:21Z
Registrar WHOIS Server	whois.namecheap.com
Registrar URL	http://www.namecheap.com
Registrar	NameCheap, Inc.
Registrar IANA ID	1068

The domain has been created in 12 months before the creation of the audit.

There is no public billing information, the creator is protected by the privacy settings.

Summary

There are some functions that can be abused by the owner like manipulating fees and transferring funds to the team’s wallet. A multi-wallet signing pattern will provide security against potential hacks. Temporarily locking the contract or renouncing ownership will eliminate all the contract threats.

Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Cyberscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Cyberscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Cyberscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Cyberscope team disclaims any liability for the resulting losses.

About Cyberscope

Coinscope audit and K.Y.C. service has been rebranded to Cyberscope.

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Cyberscope and Coinscope are aiming to make crypto discoverable and efficient globally. They provide all the essential tools to assist users draw their own conclusions.



The Cyberscope team

https://www.cyberscope.io

Cyberscope

Audit Report

World Bet Token

August 2022

SHA256 5b132b5a619004c3f38630a141dcb19517fdc81ab78cbc68e3a62ac80d0f2b76

Audited by © cyberscope

Table of Contents

Table of Contents 1
Contract Review 3
Source Files 3
Audit Updates 3
Contract Analysis 4
Contract Diagnostics 5
STC - Succeeded Transfer Check 6
Description 6
Recommendation 6
L01 - Public Function could be Declared External 7
Description 7
Recommendation 7
L02 - State Variables could be Declared Constant 8
Description 8
Recommendation 8
L04 - Conformance to Solidity Naming Conventions 9
Description 9
Recommendation 9
L05 - Unused State Variable 10
Description 10
Recommendation 10
L09 - Dead Code Elimination 11
Description 11
Recommendation 11
L13 - Divide before Multiply Operation 12
Description 12

Recommendation 12
Contract Functions 13
Contract Flow 18
Domain Info 19
Summary 20
Disclaimer 21
About Cyberscope 22

Contract Review

Contract Name	WorldBetToken
Compiler Version	v0.7.4+commit.3f05b770
Optimization	200 runs
Licence	
Explorer	https://bscscan.com/token/0x86945D8b73fAad773a5E7092721f2ba57590eE8c
Symbol	WBT
Decimals	18
Total Supply	100,000,000
Domain	worldbet.club

Source Files

Filename	**SHA256**
contract.sol	5b132b5a619004c3f38630a141dcb19517fdc81ab78cbc68e3a62ac80d0f2b76

Audit Updates

Initial Audit	3rd August 2022
Corrected	5th August 2022

Contract Analysis

Critical Medium Minor Pass

Severity	Code	Description
	ST	Contract Owner is not able to stop or pause transactions
	OCTD	Contract Owner is not able to transfer tokens from specific address
	OTUT	Owner Transfer User's Tokens
	ELFM	Contract Owner is not able to increase fees more than a reasonable percent (25%)
	ULTW	Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent
	MT	Contract Owner is not able to mint new tokens
	BT	Contract Owner is not able to burn tokens from specific wallet
	BC	Contract Owner is not able to blacklist wallets from selling

Contract Diagnostics

Critical Medium Minor

Severity	Code	Description
	STC	Succeeded Transfer Check
	L01	Public Function could be Declared External
	L02	State Variables could be Declared Constant
	L04	Conformance to Solidity Naming Conventions
	L05	Unused State Variable
	L09	Dead Code Elimination
	L13	Divide before Multiply Operation

STC - Succeeded Transfer Check

Criticality	minor
Location	contract.sol#L761

Description

According to the ERC20 specification, the transfer methods should be checked if the result is successful. Otherwise, the contract may wrongly assume that the transfer has been established.

```
(bool success, ) = payable(treasuryReceiver).call{
    value: amountETHToTreasuryAndReward.mul(treasuryFee).div(_currentFee),
    gas: 30000
}("");
```

Recommendation

The contract should check if the result of the transfer methods is successful.

L01 - Public Function could be Declared External

Criticality	minor
Location	contract.sol#L483,487,491,510,523,528

Description

Public functions that are never called by the contract should be declared external to save gas.

```
transferOwnership
renounceOwnership
owner
decimals
symbol
name
```

Recommendation

Use the external attribute for functions never called from the contract.

L02 - State Variables could be Declared Constant

Criticality	minor
Location	contract.sol#L575,570

Description

Constant state variables should be declared constant to save gas.

```
totalFee
antiTime
```

Recommendation

Add the constant attribute to state variables that never change.

L04 - Conformance to Solidity Naming Conventions

Criticality	minor
Location	contract.sol#L38,272,274,305,916,936,937,949,968,972,976,543,544,545,548,564,565,566,567,568,572,598,599,600

Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow _ at the beginning of the mixed_case match for private variables and unused parameters.

```
_totalSupply
_lastAddLiquidityTime
_autoAddLiquidity
feeDenominator
sellFee
liquidityFee
burnFee
rewardFee
treasuryFee
...
```

Recommendation

Follow the Solidity naming convention.
https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions.

L05 - Unused State Variable

Criticality	minor
Location	contract.sol#L350

Description

There are segments that contain unused state variables.

```
MAX_INT256
```

Recommendation

Remove unused state variables.

L09 - Dead Code Elimination

Criticality	minor
Location	contract.sol#L378

Description

Functions that are not used in the contract, and make the code's size bigger.

```
abs
```

Recommendation

Remove unused functions.

L13 - Divide before Multiply Operation

Criticality	minor
Location	contract.sol#L958

Description

Performing divisions before multiplications may cause lose of prediction.

```
liquidityBalance = _gonBalances[pair].div(_gonsPerFragment)
```

Recommendation

The multiplications should be prior to the divisions.

Contract Functions

Contract	Type	Bases		
	Function Name	Visibility	Mutability	Modifiers
IPancakeSwap Factory	Interface			
	feeTo	External		-
	feeToSetter	External		-
	getPair	External		-
	allPairs	External		-
	allPairsLength	External		-
	createPair	External	✓	-
	setFeeTo	External	✓	-
	setFeeToSetter	External	✓	-
IPancakeSwap Router	Interface			
	factory	External		-
	WETH	External		-
	addLiquidity	External	✓	-
	addLiquidityETH	External	Payable	-
	removeLiquidity	External	✓	-
	removeLiquidityETH	External	✓	-
	removeLiquidityWithPermit	External	✓	-
	removeLiquidityETHWithPermit	External	✓	-
	swapExactTokensForTokens	External	✓	-
	swapTokensForExactTokens	External	✓	-
	swapExactETHForTokens	External	Payable	-
	swapTokensForExactETH	External	✓	-
	swapExactTokensForETH	External	✓	-
	swapETHForExactTokens	External	Payable	-
	quote	External		-
	getAmountOut	External		-


	getAmountIn	External		-
	getAmountsOut	External		-
	getAmountsIn	External		-
	removeLiquidityETHSupportingFeeOnTransferTokens	External	✓	-
	removeLiquidityETHWithPermitSupportingFeeOnTransferTokens	External	✓	-
	swapExactTokensForTokensSupportingFeeOnTransferTokens	External	✓	-
	swapExactETHForTokensSupportingFeeOnTransferTokens	External	Payable	-
	swapExactTokensForETHSupportingFeeOnTransferTokens	External	✓	-
IPancakeSwapPair	Interface			
	name	External		-
	symbol	External		-
	decimals	External		-
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	approve	External	✓	-
	transfer	External	✓	-
	transferFrom	External	✓	-
	DOMAIN_SEPARATOR	External		-
	PERMIT_TYPEHASH	External		-
	nonces	External		-
	permit	External	✓	-
	MINIMUM_LIQUIDITY	External		-
	factory	External		-
	token0	External		-
	token1	External		-
	getReserves	External		-
	price0CumulativeLast	External		-
	price1CumulativeLast	External		-
	kLast	External		-

	mint	External	✓	-
	burn	External	✓	-
	swap	External	✓	-
	skim	External	✓	-
	sync	External	✓	-
	initialize	External	✓	-
SafeMathInt	Library			
	mul	Internal		
	div	Internal		
	sub	Internal		
	add	Internal		
	abs	Internal		
SafeMath	Library			
	add	Internal		
	sub	Internal		
	sub	Internal		
	mul	Internal		
	div	Internal		
	div	Internal		
	mod	Internal		
IERC20	Interface			
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	transfer	External	✓	-
	approve	External	✓	-
	transferFrom	External	✓	-
ERC20Detailed	Implementation	IERC20		
	<Constructor>	Public	✓	-
	name	Public		-

	symbol	Public		-
	decimals	Public		-
Ownable	Implementation			
	<Constructor>	Public	✓	-
	owner	Public		-
	isOwner	Public		-
	renounceOwnership	Public	✓	onlyOwner
	transferOwnership	Public	✓	onlyOwner
	_transferOwnership	Internal	✓	
WorldBetToken	Implementation	ERC20Detailed, Ownable		
	<Constructor>	Public	✓	ERC20Detailed Ownable
	transfer	External	✓	validRecipient
	transferFrom	External	✓	validRecipient
	_basicTransfer	Internal	✓	
	_transferFrom	Internal	✓	
	takeFee	Internal	✓	
	swapBack	Internal	✓	swapping
	addLiquidity	Internal	✓	swapping
	withdrawAllToTreasury	External	✓	swapping onlyOwner
	shouldTakeFee	Internal		
	shouldSwapBack	Internal		
	shouldAddLiquidity	Internal		
	allowance	External		-
	decreaseAllowance	External	✓	-
	increaseAllowance	External	✓	-
	approve	External	✓	-
	checkFeeExempt	External		-
	getCirculatingSupply	Public		-
	isNotInSwap	External		-
	manualSync	External	✓	-

	setFeeReceivers	External	✓	onlyOwner
	setEnableAntiBot	External	✓	onlyOwner
	setAutoAddLiquidity	External	✓	onlyOwner
	getLiquidityBacking	External		-
	setWhitelist	External	✓	onlyOwner
	setPairAddress	External	✓	onlyOwner
	setLP	External	✓	onlyOwner
	totalSupply	External		-
	balanceOf	External		-
	<Receive Ether>	External	Payable	-

Contract Flow



Domain Info

Domain Name	worldbet.club
Registry Domain ID	DFC42EC8E80884B30898C5E6B85B46FAF-GDREG
Creation Date	2022-07-29T03:57:21Z
Updated Date	2022-08-03T03:57:21Z
Registry Expiry Date	2023-07-29T03:57:21Z
Registrar WHOIS Server	whois.namecheap.com
Registrar URL	http://www.namecheap.com
Registrar	NameCheap, Inc.
Registrar IANA ID	1068

The domain has been created in 12 months before the creation of the audit.

There is no public billing information, the creator is protected by the privacy settings.

Summary

World Bet Token is an interesting project that has a friendly and growing community. The Smart Contract analysis reported no compiler error or critical issues. The contract Owner can access some admin functions that can not be used in a malicious way to disturb the users' transactions. There is also a limit of max 25% fees.

Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Cyberscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Cyberscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Cyberscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Cyberscope team disclaims any liability for the resulting losses.

About Cyberscope

Coinscope audit and K.Y.C. service has been rebranded to Cyberscope.

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Cyberscope and Coinscope are aiming to make crypto discoverable and efficient globally. They provide all the essential tools to assist users draw their own conclusions.



The Cyberscope team

https://www.cyberscope.io

Cyberscope

Audit Report

World Bet Token

August 2022

Type	BEP20
Network	BSC
Address	0x2F034420ef90c4A6e9C49f8ac7Cb0B764FC63F81
Audited by	© cyberscope

Table of Contents

Table of Contents 1
Contract Review 3
Source Files 3
Audit Updates 3
Contract Analysis 4
Contract Diagnostics 5
STC - Succeeded Transfer Check 6
Description 6
Recommendation 6
L01 - Public Function could be Declared External 7
Description 7
Recommendation 7
L02 - State Variables could be Declared Constant 8
Description 8
Recommendation 8
L04 - Conformance to Solidity Naming Conventions 9
Description 9
Recommendation 9
L05 - Unused State Variable 10
Description 10
Recommendation 10
L09 - Dead Code Elimination 11
Description 11
Recommendation 11
L13 - Divide before Multiply Operation 12
Description 12

Recommendation 12
Contract Functions 13
Contract Flow 18
Domain Info 19
Summary 20
Disclaimer 21
About Cyberscope 22

Contract Review

Contract Name	WorldBetToken
Compiler Version	v0.7.6+commit.7338295f
Optimization	200 runs
Licence	Unlicense
Explorer	https://bscscan.com/token/0x2F034420ef90c4A6e9C49f8ac7Cb0B764FC63F81
Symbol	WBT
Decimals	18
Total Supply	100,000,000
Domain	worldbet.club

Source Files

Filename	**SHA256**
contract.sol	d4c67dd736b3877442043fcbbcdbc74fe8580590a620c3904624ffc5a01734e7

Audit Updates

Initial Audit	3rd August 2022
Corrected phase 1	5th August 2022
Corrected phase 2	8th August 2022

Contract Analysis

Critical Medium Minor Pass

Severity	Code	Description
●	ST	Contract Owner is not able to stop or pause transactions
●	OCTD	Contract Owner is not able to transfer tokens from specific address
●	OTUT	Owner Transfer User's Tokens
●	ELFM	Contract Owner is not able to increase fees more than a reasonable percent (25%)
●	ULTW	Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent
●	MT	Contract Owner is not able to mint new tokens
●	BT	Contract Owner is not able to burn tokens from specific wallet
●	BC	Contract Owner is not able to blacklist wallets from selling

Contract Diagnostics

Critical Medium Minor

Severity	Code	Description
	STC	Succeeded Transfer Check
	L01	Public Function could be Declared External
	L02	State Variables could be Declared Constant
	L04	Conformance to Solidity Naming Conventions
	L05	Unused State Variable
	L09	Dead Code Elimination
	L13	Divide before Multiply Operation

STC - Succeeded Transfer Check

Criticality	minor
Location	contract.sol#L760

Description

According to the ERC20 specification, the transfer methods should be checked if the result is successful. Otherwise, the contract may wrongly assume that the transfer has been established.

```
(bool success, ) = payable(treasuryReceiver).call{
    value: amountETHToTreasuryAndReward.mul(treasuryFee).div(_currentFee),
    gas: 30000
}("");
```

Recommendation

The contract should check if the result of the transfer methods is successful.

L01 - Public Function could be Declared External

Criticality	minor
Location	contract.sol#L482,486,490,509,522,527

Description

Public functions that are never called by the contract should be declared external to save gas.

```
transferOwnership
renounceOwnership
owner
decimals
symbol
name
```

Recommendation

Use the external attribute for functions never called from the contract.

L02 - State Variables could be Declared Constant

Criticality	minor
Location	contract.sol#L574,569

Description

Constant state variables should be declared constant to save gas.

```
totalFee
antiTime
```

Recommendation

Add the constant attribute to state variables that never change.

L04 - Conformance to Solidity Naming Conventions

Criticality	minor
Location	contract.sol#L37,271,273,304,915,935,936,948,967,971,975,542,543,544,547,563,564,565,566,567,571,597,598,599

Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow _ at the beginning of the mixed_case match for private variables and unused parameters.

```
_totalSupply
_lastAddLiquidityTime
_autoAddLiquidity
feeDenominator
sellFee
liquidityFee
burnFee
rewardFee
treasuryFee
...
```

Recommendation

Follow the Solidity naming convention.
https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions.

L05 - Unused State Variable

Criticality	minor
Location	contract.sol#L349

Description

There are segments that contain unused state variables.

```
MAX_INT256
```

Recommendation

Remove unused state variables.

L09 - Dead Code Elimination

Criticality	minor
Location	contract.sol#L377

Description

Functions that are not used in the contract, and make the code's size bigger.

```
abs
```

Recommendation

Remove unused functions.

L13 - Divide before Multiply Operation

Criticality	minor
Location	contract.sol#L957

Description

Performing divisions before multiplications may cause lose of prediction.

```
liquidityBalance = _gonBalances[pair].div(_gonsPerFragment)
```

Recommendation

The multiplications should be prior to the divisions.

Contract Functions

Contract	Type	Bases		
	Function Name	Visibility	Mutability	Modifiers
IPancakeSwap Factory	Interface			
	feeTo	External		-
	feeToSetter	External		-
	getPair	External		-
	allPairs	External		-
	allPairsLength	External		-
	createPair	External	✓	-
	setFeeTo	External	✓	-
	setFeeToSetter	External	✓	-
IPancakeSwap Router	Interface			
	factory	External		-
	WETH	External		-
	addLiquidity	External	✓	-
	addLiquidityETH	External	Payable	-
	removeLiquidity	External	✓	-
	removeLiquidityETH	External	✓	-
	removeLiquidityWithPermit	External	✓	-
	removeLiquidityETHWithPermit	External	✓	-
	swapExactTokensForTokens	External	✓	-
	swapTokensForExactTokens	External	✓	-
	swapExactETHForTokens	External	Payable	-
	swapTokensForExactETH	External	✓	-
	swapExactTokensForETH	External	✓	-
	swapETHForExactTokens	External	Payable	-
	quote	External		-
	getAmountOut	External		-


	getAmountIn	External		-
	getAmountsOut	External		-
	getAmountsIn	External		-
	removeLiquidityETHSupportingFeeOnTransferTokens	External	✓	-
	removeLiquidityETHWithPermitSupportingFeeOnTransferTokens	External	✓	-
	swapExactTokensForTokensSupportingFeeOnTransferTokens	External	✓	-
	swapExactETHForTokensSupportingFeeOnTransferTokens	External	Payable	-
	swapExactTokensForETHSupportingFeeOnTransferTokens	External	✓	-
IPancakeSwapPair	Interface			
	name	External		-
	symbol	External		-
	decimals	External		-
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	approve	External	✓	-
	transfer	External	✓	-
	transferFrom	External	✓	-
	DOMAIN_SEPARATOR	External		-
	PERMIT_TYPEHASH	External		-
	nonces	External		-
	permit	External	✓	-
	MINIMUM_LIQUIDITY	External		-
	factory	External		-
	token0	External		-
	token1	External		-
	getReserves	External		-
	price0CumulativeLast	External		-
	price1CumulativeLast	External		-
	kLast	External		-

	mint	External	✓	-
	burn	External	✓	-
	swap	External	✓	-
	skim	External	✓	-
	sync	External	✓	-
	initialize	External	✓	-
SafeMathInt	Library			
	mul	Internal		
	div	Internal		
	sub	Internal		
	add	Internal		
	abs	Internal		
SafeMath	Library			
	add	Internal		
	sub	Internal		
	sub	Internal		
	mul	Internal		
	div	Internal		
	div	Internal		
	mod	Internal		
IERC20	Interface			
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	transfer	External	✓	-
	approve	External	✓	-
	transferFrom	External	✓	-
ERC20Detailed	Implementation	IERC20		
	<Constructor>	Public	✓	-
	name	Public		-

	symbol	Public		-
	decimals	Public		-
Ownable	Implementation			
	<Constructor>	Public	✓	-
	owner	Public		-
	isOwner	Public		-
	renounceOwnership	Public	✓	onlyOwner
	transferOwnership	Public	✓	onlyOwner
	_transferOwnership	Internal	✓	
WorldBetToken	Implementation	ERC20Detailed, Ownable		
	<Constructor>	Public	✓	ERC20Detailed Ownable
	transfer	External	✓	validRecipient
	transferFrom	External	✓	validRecipient
	_basicTransfer	Internal	✓	
	_transferFrom	Internal	✓	
	takeFee	Internal	✓	
	swapBack	Internal	✓	swapping
	addLiquidity	Internal	✓	swapping
	withdrawAllToTreasury	External	✓	swapping onlyOwner
	shouldTakeFee	Internal		
	shouldSwapBack	Internal		
	shouldAddLiquidity	Internal		
	allowance	External		-
	decreaseAllowance	External	✓	-
	increaseAllowance	External	✓	-
	approve	External	✓	-
	checkFeeExempt	External		-
	getCirculatingSupply	Public		-
	isNotInSwap	External		-
	manualSync	External	✓	-

	setFeeReceivers	External	✓	onlyOwner
	setEnableAntiBot	External	✓	onlyOwner
	setAutoAddLiquidity	External	✓	onlyOwner
	getLiquidityBacking	External		-
	setWhitelist	External	✓	onlyOwner
	setPairAddress	External	✓	onlyOwner
	setLP	External	✓	onlyOwner
	totalSupply	External		-
	balanceOf	External		-
	<Receive Ether>	External	Payable	-

Contract Flow



Domain Info

Domain Name	worldbet.club
Registry Domain ID	DFC42EC8E80884B30898C5E6B85B46FAF-GDREG
Creation Date	2022-07-29T03:57:21Z
Updated Date	2022-08-03T03:57:21Z
Registry Expiry Date	2023-07-29T03:57:21Z
Registrar WHOIS Server	whois.namecheap.com
Registrar URL	http://www.namecheap.com
Registrar	NameCheap, Inc.
Registrar IANA ID	1068

The domain has been created in 12 months before the creation of the audit.

There is no public billing information, the creator is protected by the privacy settings.

Summary

World Bet Token is an interesting project that has a friendly and growing community. The Smart Contract analysis reported no compiler error or critical issues. The contract Owner can access some admin functions that can not be used in a malicious way to disturb the users' transactions. There is also a limit of max 25% fees.

Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Cyberscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Cyberscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Cyberscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Cyberscope team disclaims any liability for the resulting losses.

About Cyberscope

Coinscope audit and K.Y.C. service has been rebranded to Cyberscope.

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Cyberscope and Coinscope are aiming to make crypto discoverable and efficient globally. They provide all the essential tools to assist users draw their own conclusions.



The Cyberscope team

https://www.cyberscope.io

Cyberscope

Audit Report

World Bet Token

August 2022

Type	BEP20
Network	BSC
Address	0xf88a40755d307dE135c7eb00499c2961b39FbC97
Audited by	© cyberscope

Table of Contents

Table of Contents 1
Contract Review 3
Source Files 3
Audit Updates 3
Contract Analysis 4
ELFM - Exceed Limit Fees Manipulation 5
Description 5
Recommendation 5
Contract Diagnostics 6
STC - Succeeded Transfer Check 7
Description 7
Recommendation 7
L01 - Public Function could be Declared External 8
Description 8
Recommendation 8
L02 - State Variables could be Declared Constant 9
Description 9
Recommendation 9
L04 - Conformance to Solidity Naming Conventions 10
Description 10
Recommendation 10
L05 - Unused State Variable 11
Description 11
Recommendation 11
L07 - Missing Events Arithmetic 12
Description 12

Recommendation 12
L09 - Dead Code Elimination 13
Description 13
Recommendation 13
L13 - Divide before Multiply Operation 14
Description 14
Recommendation 14
Contract Functions 15
Contract Flow 20
Domain Info 21
Summary 22
Disclaimer 23
About Cyberscope 24

Contract Review

Contract Name	WorldBetToken
Compiler Version	v0.7.6+commit.7338295f
Optimization	200 runs
Licence	Unlicense
Explorer	https://bscscan.com/token/0xf88a40755d307dE135c7eb00499c2961b39FbC97
Symbol	WBT
Decimals	18
Total Supply	100,000,000
Domain	worldbet.club

Source Files

Filename	**SHA256**
contract.sol	39fa81b2fc454e9272e4ed0ce422c1ed60df8eeab4b1ac2f784b47f5f21e0aab

Audit Updates

Initial Audit	3rd August 2022
Corrected phase 1	5th August 2022
Corrected phase 2	8th August 2022
Corrected phase 3	14th August 2022

Contract Analysis

Critical Medium Minor Pass

Severity	Code	Description
●	ST	Contract Owner is not able to stop or pause transactions
●	OCTD	Contract Owner is not able to transfer tokens from specific address
●	OTUT	Owner Transfer User's Tokens
●	ELFM	Contract Owner is not able to increase fees more than a reasonable percent (25%)
●	ULTW	Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent
●	MT	Contract Owner is not able to mint new tokens
●	BT	Contract Owner is not able to burn tokens from specific wallet
●	BC	Contract Owner is not able to blacklist wallets from selling

ELFM - Exceed Limit Fees Manipulation

Criticality	critical
Location	contract.sol#L942

Description

The contract owner has the authority to increase over the allowed limit of 25%. The owner may take advantage of it by calling the `setTaxFee` function with a high percentage value.

```
function setTaxFee(uint256 _treasuryFee, uint256 _rewardFee, uint256 _burnFee,
uint256 _liquidityFee, uint256 _sellFee) external onlyOwner {
    require(treasuryFee.add(rewardFee).add(liquidityFee).add(burnFee) <= 25,
"Fees must be less than 25%");
    treasuryFee = _treasuryFee;
    rewardFee = _rewardFee;
    burnFee = _burnFee;
    liquidityFee = _liquidityFee;
    sellFee = _sellFee;
    totalFee = treasuryFee.add(rewardFee).add(liquidityFee).add(burnFee);
}
```

Recommendation

The contract could embody a check for the maximum acceptable value.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

Contract Diagnostics

Critical Medium Minor

Severity	Code	Description
	STC	Succeeded Transfer Check
	L01	Public Function could be Declared External
	L02	State Variables could be Declared Constant
	L04	Conformance to Solidity Naming Conventions
	L05	Unused State Variable
	L09	Dead Code Elimination
	L13	Divide before Multiply Operation

STC - Succeeded Transfer Check

Criticality	minor
Location	contract.sol#L760

Description

According to the ERC20 specification, the transfer methods should be checked if the result is successful. Otherwise, the contract may wrongly assume that the transfer has been established.

```
(bool success, ) = payable(treasuryReceiver).call{
    value: amountETHToTreasuryAndReward.mul(treasuryFee).div(_currentFee),
    gas: 30000
}("");
```

Recommendation

The contract should check if the result of the transfer methods is successful.

L01 - Public Function could be Declared External

Criticality	minor
Location	contract.sol#L483,487,491,510,523,528

Description

Public functions that are never called by the contract should be declared external to save gas.

```
transferOwnership
renounceOwnership
owner
decimals
symbol
name
```

Recommendation

Use the external attribute for functions never called from the contract.

L02 - State Variables could be Declared Constant

Criticality	minor
Location	contract.sol#L574

Description

Constant state variables should be declared constant to save gas.

```
antiTime
```

Recommendation

Add the constant attribute to state variables that never change.

L04 - Conformance to Solidity Naming Conventions

Criticality	minor
Location	contract.sol#L38,272,274,305,915,935,936,942,958,977,981,985,543,544,545,548,571,597,598,599

Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow _ at the beginning of the mixed_case match for private variables and unused parameters.

```
_totalSupply
_lastAddLiquidityTime
_autoAddLiquidity
feeDenominator
_isFeeExempt
_decimals
_symbol
_name
_address
...
```

Recommendation

Follow the Solidity naming convention.
https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions.

L05 - Unused State Variable

Criticality	minor
Location	contract.sol#L350

Description

There are segments that contain unused state variables.

```
MAX_INT256
```

Recommendation

Remove unused state variables.

L07 - Missing Events Arithmetic

Criticality	minor
Location	contract.sol#L942

Description

Detected missing events for critical arithmetic parameters. There are functions that have no event emitted, so it is difficult to track off-chain changes.

```
treasuryFee = _treasuryFee
```

Recommendation

Emit an event for critical parameter changes.

L09 - Dead Code Elimination

Criticality	minor
Location	contract.sol#L378

Description

Functions that are not used in the contract, and make the code's size bigger.

```
abs
```

Recommendation

Remove unused functions.

L13 - Divide before Multiply Operation

Criticality	minor
Location	contract.sol#L967

Description

Performing divisions before multiplications may cause lose of prediction.

```
liquidityBalance = _gonBalances[pair].div(_gonsPerFragment)
```

Recommendation

The multiplications should be prior to the divisions.

Contract Functions

Contract	Type	Bases		
	Function Name	Visibility	Mutability	Modifiers
IPancakeSwap Factory	Interface			
	feeTo	External		-
	feeToSetter	External		-
	getPair	External		-
	allPairs	External		-
	allPairsLength	External		-
	createPair	External	✓	-
	setFeeTo	External	✓	-
	setFeeToSetter	External	✓	-
IPancakeSwap Router	Interface			
	factory	External		-
	WETH	External		-
	addLiquidity	External	✓	-
	addLiquidityETH	External	Payable	-
	removeLiquidity	External	✓	-
	removeLiquidityETH	External	✓	-
	removeLiquidityWithPermit	External	✓	-
	removeLiquidityETHWithPermit	External	✓	-
	swapExactTokensForTokens	External	✓	-
	swapTokensForExactTokens	External	✓	-
	swapExactETHForTokens	External	Payable	-
	swapTokensForExactETH	External	✓	-
	swapExactTokensForETH	External	✓	-
	swapETHForExactTokens	External	Payable	-
	quote	External		-
	getAmountOut	External		-


	getAmountIn	External		-
	getAmountsOut	External		-
	getAmountsIn	External		-
	removeLiquidityETHSupportingFeeOnTransferTokens	External	✓	-
	removeLiquidityETHWithPermitSupportingFeeOnTransferTokens	External	✓	-
	swapExactTokensForTokensSupportingFeeOnTransferTokens	External	✓	-
	swapExactETHForTokensSupportingFeeOnTransferTokens	External	Payable	-
	swapExactTokensForETHSupportingFeeOnTransferTokens	External	✓	-
IPancakeSwap Pair	Interface			
	name	External		-
	symbol	External		-
	decimals	External		-
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	approve	External	✓	-
	transfer	External	✓	-
	transferFrom	External	✓	-
	DOMAIN_SEPARATOR	External		-
	PERMIT_TYPEHASH	External		-
	nonces	External		-
	permit	External	✓	-
	MINIMUM_LIQUIDITY	External		-
	factory	External		-
	token0	External		-
	token1	External		-
	getReserves	External		-
	price0CumulativeLast	External		-
	price1CumulativeLast	External		-
	kLast	External		-

	mint	External	✓	-
	burn	External	✓	-
	swap	External	✓	-
	skim	External	✓	-
	sync	External	✓	-
	initialize	External	✓	-
SafeMathInt	Library			
	mul	Internal		
	div	Internal		
	sub	Internal		
	add	Internal		
	abs	Internal		
SafeMath	Library			
	add	Internal		
	sub	Internal		
	sub	Internal		
	mul	Internal		
	div	Internal		
	div	Internal		
	mod	Internal		
IERC20	Interface			
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	transfer	External	✓	-
	approve	External	✓	-
	transferFrom	External	✓	-
ERC20Detailed	Implementation	IERC20		
	<Constructor>	Public	✓	-
	name	Public		-
	symbol	Public		-

	decimals	Public		-
Ownable	Implementation			
	<Constructor>	Public	✓	-
	owner	Public		-
	isOwner	Public		-
	renounceOwnership	Public	✓	onlyOwner
	transferOwnership	Public	✓	onlyOwner
	_transferOwnership	Internal	✓	
WorldBetToken	Implementation	ERC20Detailed, Ownable		
	<Constructor>	Public	✓	ERC20Detailed Ownable
	transfer	External	✓	validRecipient
	transferFrom	External	✓	validRecipient
	_basicTransfer	Internal	✓	
	_transferFrom	Internal	✓	
	takeFee	Internal	✓	
	swapBack	Internal	✓	swapping
	addLiquidity	Internal	✓	swapping
	withdrawAllToTreasury	External	✓	swapping onlyOwner
	shouldTakeFee	Internal		
	shouldSwapBack	Internal		
	shouldAddLiquidity	Internal		
	allowance	External		-
	decreaseAllowance	External	✓	-
	increaseAllowance	External	✓	-
	approve	External	✓	-
	checkFeeExempt	External		-
	getCirculatingSupply	Public		-
	isNotInSwap	External		-
	manualSync	External	✓	-
	setFeeReceivers	External	✓	onlyOwner
	setTaxFee	External	✓	onlyOwner

	setEnableAntiBot	External	✓	onlyOwner
	setAutoAddLiquidity	External	✓	onlyOwner
	getLiquidityBacking	External		-
	setWhitelist	External	✓	onlyOwner
	setPairAddress	External	✓	onlyOwner
	setLP	External	✓	onlyOwner
	totalSupply	External		-
	balanceOf	External		-
	<Receive Ether>	External	Payable	-

Contract Flow



Domain Info

Domain Name	worldbet.club
Registry Domain ID	DFC42EC8E80884B30898C5E6B85B46FAF-GDREG
Creation Date	2022-07-29T03:57:21Z
Updated Date	2022-08-03T03:57:21Z
Registry Expiry Date	2023-07-29T03:57:21Z
Registrar WHOIS Server	whois.namecheap.com
Registrar URL	http://www.namecheap.com
Registrar	NameCheap, Inc.
Registrar IANA ID	1068

The domain has been created in 12 months before the creation of the audit.

There is no public billing information, the creator is protected by the privacy settings.

Summary

The Smart Contract analysis reported one critical severity issue. The contract owner has the authority to manipulate the fees. A multi-wallet signing pattern will provide security against potential hacks. Temporarily locking the contract or renouncing ownership will eliminate all the contract threats.

Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Cyberscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Cyberscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Cyberscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Cyberscope team disclaims any liability for the resulting losses.

About Cyberscope

Coinscope audit and K.Y.C. service has been rebranded to Cyberscope.

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Cyberscope and Coinscope are aiming to make crypto discoverable and efficient globally. They provide all the essential tools to assist users draw their own conclusions.



The Cyberscope team

https://www.cyberscope.io

Cyberscope

Audit Report

World Bet Token

August 2022

Type	BEP20
Network	BSC
Address	0x0F6c8f25E3fBE7DB56aB64077f040Ee5aD603B16
Audited by	© cyberscope

Table of Contents

Table of Contents 1
Contract Review 3
Source Files 3
Filename 3
Audit Updates 3
Contract Analysis 5
Contract Diagnostics 6
STC - Succeeded Transfer Check 7
Description 7
Recommendation 7
L01 - Public Function could be Declared External 8
Description 8
Recommendation 8
L02 - State Variables could be Declared Constant 9
Description 9
Recommendation 9
L04 - Conformance to Solidity Naming Conventions 10
Description 10
Recommendation 10
L05 - Unused State Variable 11
Description 11
Recommendation 11
L07 - Missing Events Arithmetic 12
Description 12
Recommendation 12
L09 - Dead Code Elimination 13

Description 13
Recommendation 13
L13 - Divide before Multiply Operation 14
Description 14
Recommendation 14
Contract Functions 15
Contract Flow 20
Domain Info 21
Summary 22
Disclaimer 23
About Cyberscope 24

Contract Review

Contract Name	WorldBetToken
Compiler Version	v0.7.6+commit.7338295f
Optimization	200 runs
Licence	Unlicense
Explorer	https://bscscan.com/token/0x0F6c8f25E3fBE7DB56aB64077f040Ee5aD603B16
Symbol	WBT
Decimals	18
Total Supply	100,000,000
Domain	

Source Files

Filename	**SHA256**
contract.sol	859343128256c146347005be10e4b1419b83865d4f8137c6fd101df6cc34427f

Audit Updates

Initial Audit	3rd August 2022
Corrected phase 1	5th August 2022
Corrected phase 2	8th August 2022
Corrected phase 3	14th August 2022

Corrected phase 4	16th August 2022

Contract Analysis

Critical Medium Minor Pass

Severity	Code	Description
●	ST	Contract Owner is not able to stop or pause transactions
●	OCTD	Contract Owner is not able to transfer tokens from specific address
●	OTUT	Owner Transfer User's Tokens
●	ELFM	Contract Owner is not able to increase fees more than a reasonable percent (25%)
●	ULTW	Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent
●	MT	Contract Owner is not able to mint new tokens
●	BT	Contract Owner is not able to burn tokens from specific wallet
●	BC	Contract Owner is not able to blacklist wallets from selling

Contract Diagnostics

Critical Medium Minor

Severity	Code	Description
	STC	Succeeded Transfer Check
	L01	Public Function could be Declared External
	L02	State Variables could be Declared Constant
	L04	Conformance to Solidity Naming Conventions
	L05	Unused State Variable
	L09	Dead Code Elimination
	L13	Divide before Multiply Operation

STC - Succeeded Transfer Check

Criticality	minor
Location	contract.sol#L759

Description

According to the ERC20 specification, the transfer methods should be checked if the result is successful. Otherwise, the contract may wrongly assume that the transfer has been established.

```
(bool success, ) = payable(treasuryReceiver).call{
    value: amountETHToTreasuryAndReward.mul(treasuryFee).div(_currentFee),
    gas: 30000
}("");
```

Recommendation

The contract should check if the result of the transfer methods is successful.

L01 - Public Function could be Declared External

Criticality	minor
Location	contract.sol#L482,486,490,509,522,527

Description

Public functions that are never called by the contract should be declared external to save gas.

```
transferOwnership
renounceOwnership
owner
decimals
symbol
name
```

Recommendation

Use the external attribute for functions never called from the contract.

L02 - State Variables could be Declared Constant

Criticality	minor
Location	contract.sol#L573

Description

Constant state variables should be declared constant to save gas.

```
antiTime
```

Recommendation

Add the constant attribute to state variables that never change.

L04 - Conformance to Solidity Naming Conventions

Criticality	minor
Location	contract.sol#L37,271,273,304,914,934,935,941,957,976,980,984,542,543,544,547,570,596,597,598

Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow _ at the beginning of the mixed_case match for private variables and unused parameters.

```
_totalSupply
_lastAddLiquidityTime
_autoAddLiquidity
feeDenominator
_isFeeExempt
_decimals
_symbol
_name
_address
...
```

Recommendation

Follow the Solidity naming convention.
https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions.

L05 - Unused State Variable

Criticality	minor
Location	contract.sol#L349

Description

There are segments that contain unused state variables.

```
MAX_INT256
```

Recommendation

Remove unused state variables.

L07 - Missing Events Arithmetic

Criticality	minor
Location	contract.sol#L941

Description

Detected missing events for critical arithmetic parameters. There are functions that have no event emitted, so it is difficult to track off-chain changes.

```
treasuryFee = _treasuryFee
```

Recommendation

Emit an event for critical parameter changes.

L09 - Dead Code Elimination

Criticality	minor
Location	contract.sol#L377

Description

Functions that are not used in the contract, and make the code's size bigger.

```
abs
```

Recommendation

Remove unused functions.

L13 - Divide before Multiply Operation

Criticality	minor
Location	contract.sol#L966

Description

Performing divisions before multiplications may cause lose of prediction.

```
liquidityBalance = _gonBalances[pair].div(_gonsPerFragment)
```

Recommendation

The multiplications should be prior to the divisions.

Contract Functions

Contract	Type	Bases		
	Function Name	**Visibility**	**Mutability**	**Modifiers**
IPancakeSwap Factory	Interface			
	feeTo	External		-
	feeToSetter	External		-
	getPair	External		-
	allPairs	External		-
	allPairsLength	External		-
	createPair	External	✓	-
	setFeeTo	External	✓	-
	setFeeToSetter	External	✓	-
IPancakeSwap Router	Interface			
	factory	External		-
	WETH	External		-
	addLiquidity	External	✓	-
	addLiquidityETH	External	Payable	-
	removeLiquidity	External	✓	-
	removeLiquidityETH	External	✓	-
	removeLiquidityWithPermit	External	✓	-
	removeLiquidityETHWithPermit	External	✓	-
	swapExactTokensForTokens	External	✓	-
	swapTokensForExactTokens	External	✓	-
	swapExactETHForTokens	External	Payable	-
	swapTokensForExactETH	External	✓	-
	swapExactTokensForETH	External	✓	-
	swapETHForExactTokens	External	Payable	-
	quote	External		-
	getAmountOut	External		-


	getAmountIn	External		-
	getAmountsOut	External		-
	getAmountsIn	External		-
	removeLiquidityETHSupportingFeeOnTransferTokens	External	✓	-
	removeLiquidityETHWithPermitSupportingFeeOnTransferTokens	External	✓	-
	swapExactTokensForTokensSupportingFeeOnTransferTokens	External	✓	-
	swapExactETHForTokensSupportingFeeOnTransferTokens	External	Payable	-
	swapExactTokensForETHSupportingFeeOnTransferTokens	External	✓	-
IPancakeSwapPair	Interface			
	name	External		-
	symbol	External		-
	decimals	External		-
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	approve	External	✓	-
	transfer	External	✓	-
	transferFrom	External	✓	-
	DOMAIN_SEPARATOR	External		-
	PERMIT_TYPEHASH	External		-
	nonces	External		-
	permit	External	✓	-
	MINIMUM_LIQUIDITY	External		-
	factory	External		-
	token0	External		-
	token1	External		-
	getReserves	External		-
	price0CumulativeLast	External		-
	price1CumulativeLast	External		-
	kLast	External		-

	mint	External	✓	-
	burn	External	✓	-
	swap	External	✓	-
	skim	External	✓	-
	sync	External	✓	-
	initialize	External	✓	-
SafeMathInt	Library			
	mul	Internal		
	div	Internal		
	sub	Internal		
	add	Internal		
	abs	Internal		
SafeMath	Library			
	add	Internal		
	sub	Internal		
	sub	Internal		
	mul	Internal		
	div	Internal		
	div	Internal		
	mod	Internal		
IERC20	Interface			
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	transfer	External	✓	-
	approve	External	✓	-
	transferFrom	External	✓	-
ERC20Detailed	Implementation	IERC20		
	<Constructor>	Public	✓	-
	name	Public		-
	symbol	Public		-

	decimals	Public		-
Ownable	Implementation			
	<Constructor>	Public	✓	-
	owner	Public		-
	isOwner	Public		-
	renounceOwnership	Public	✓	onlyOwner
	transferOwnership	Public	✓	onlyOwner
	_transferOwnership	Internal	✓	
WorldBetToken	Implementation	ERC20Detailed, Ownable		
	<Constructor>	Public	✓	ERC20Detailed Ownable
	transfer	External	✓	validRecipient
	transferFrom	External	✓	validRecipient
	_basicTransfer	Internal	✓	
	_transferFrom	Internal	✓	
	takeFee	Internal	✓	
	swapBack	Internal	✓	swapping
	addLiquidity	Internal	✓	swapping
	withdrawAllToTreasury	External	✓	swapping onlyOwner
	shouldTakeFee	Internal		
	shouldSwapBack	Internal		
	shouldAddLiquidity	Internal		
	allowance	External		-
	decreaseAllowance	External	✓	-
	increaseAllowance	External	✓	-
	approve	External	✓	-
	checkFeeExempt	External		-
	getCirculatingSupply	Public		-
	isNotInSwap	External		-
	manualSync	External	✓	-
	setFeeReceivers	External	✓	onlyOwner
	setTaxFee	External	✓	onlyOwner

	setEnableAntiBot	External	✓	onlyOwner
	setAutoAddLiquidity	External	✓	onlyOwner
	getLiquidityBacking	External		-
	setWhitelist	External	✓	onlyOwner
	setPairAddress	External	✓	onlyOwner
	setLP	External	✓	onlyOwner
	totalSupply	External		-
	balanceOf	External		-
	<Receive Ether>	External	Payable	-

Contract Flow



Domain Info

Domain Name	worldbet.club
Registry Domain ID	DFC42EC8E80884B30898C5E6B85B46FAF-GDREG
Creation Date	2022-07-29T03:57:21Z
Updated Date	2022-08-03T03:57:21Z
Registry Expiry Date	2023-07-29T03:57:21Z
Registrar WHOIS Server	whois.namecheap.com
Registrar URL	http://www.namecheap.com
Registrar	NameCheap, Inc.
Registrar IANA ID	1068

The domain was created 12 months before the creation of the audit.

There is no public billing information, the creator is protected by the privacy settings.

Summary

World Bet Token is an interesting project that has a friendly and growing community. The Smart Contract analysis reported no compiler error or critical issues. The contract Owner can access some admin functions that can not be used in a malicious way to disturb the users' transactions. There is also a limit of max 25% fees.

Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Cyberscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Cyberscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Cyberscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Cyberscope team disclaims any liability for the resulting losses.

About Cyberscope

Coinscope audit and K.Y.C. service has been rebranded to Cyberscope.

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Cyberscope and Coinscope are aiming to make crypto discoverable and efficient globally. They provide all the essential tools to assist users draw their own conclusions.



The Cyberscope team

https://www.cyberscope.io