



Cyberscope

Audit Report

NyanDoge

May 2023

Network BSC

Address 0x1eFBbc4154db8c9E7B05D50c63b0cbEC21EF76a6

Audited by © cyberscope

Table of Contents

Table of Contents	1
Review	2
Audit Updates	2
Source Files	3
Findings Breakdown	5
Analysis	6
Diagnostics	7
CR - Code Repetition	8
Description	8
Recommendation	8
MVN - Misleading Variables Naming	9
Description	9
Recommendation	9
AFI - Accumulated Fees Inconsistency	10
Description	10
Recommendation	10
RSW - Redundant Storage Writes	11
Description	11
Recommendation	12
IDI - Immutable Declaration Improvement	13
Description	13
Recommendation	13
L02 - State Variables could be Declared Constant	14
Description	14
Recommendation	14
L04 - Conformance to Solidity Naming Conventions	15
Description	15
Recommendation	16
L13 - Divide before Multiply Operation	17
Description	17
Recommendation	17
L19 - Stable Compiler Version	18
Description	18
Recommendation	18
L20 - Succeeded Transfer Check	19
Description	19
Recommendation	19
Functions Analysis	20
Inheritance Graph	23

Flow Graph	24
Summary	25
Disclaimer	26
About Cyberscope	27

Review

Contract Name	NyanDoge
Compiler Version	v0.8.4+commit.c7e474f2
Optimization	99999 runs
Explorer	https://bscscan.com/address/0x1efbbc4154db8c9e7b05d50c63b0cbec21ef76a6
Address	0x1efbbc4154db8c9e7b05d50c63b0cbec21ef76a6
Network	BSC
Symbol	NyanDoge
Decimals	18
Total Supply	10.000.000.000

Audit Updates

Initial Audit	22 May 2023
---------------	-------------

Source Files

Filename	SHA256
@openzeppelin/contracts/access/AccessControl.sol	0ab66c9c0b45fca5efad935058e889bd5b b5599eb95b0d17ec924f64ebcaf38f
@openzeppelin/contracts/access/IAccessControl.sol	d03c1257f2094da6c86efa7aa09c1c07ebd 33dd31046480c5097bc2542140e45
@openzeppelin/contracts/token/ERC20/extensions/IERC20Metadata.sol	af5c8a77965cc82c33b7ff844deb9826166 689e55dc037a7f2f790d057811990
@openzeppelin/contracts/token/ERC20/IERC20.sol	94f23e4af51a18c2269b355b8c7cf4db800 3d075c9c541019eb8dcf4122864d5
@openzeppelin/contracts/utils/Context.sol	1458c260d010a08e4c20a4a517882259a2 3a4baa0b5bd9add9fb6d6a1549814a
@openzeppelin/contracts/utils/introspection/ERC165.sol	8806a632d7b656cadb8133ff82acae4405 b3a64d8709d93b0fa6a216a8a6154
@openzeppelin/contracts/utils/introspection/IERC165.sol	701e025d13ec6be09ae892eb029cd83b30 64325801d73654847a5fb11c58b1e5
@openzeppelin/contracts/utils/Strings.sol	8597c62818dcbcb6cf85c21179b90b714fb 4f70a4347ca2eed23e88c87b08b8a1
@uniswap/v2-core/contracts/interfaces/IUniswapV2Factory.sol	51d056199e3f5e41cb1a9f11ce581aa3e19 0cc982db5771ffeef8d8d1f962a0d
@uniswap/v2-periphery/contracts/interfaces/IUniswapV2Router01.sol	0439ffe0fd4a5e1f4e22d71ddbda76d63d6 1679947d158cba4ee0a1da60cf663
@uniswap/v2-periphery/contracts/interfaces/IUniswapV2Router02.sol	a2900701961cb0b6152fc073856b972564f 7c798797a4a044e83d2ab8f0e8d38
contracts/Distribution.sol	2aee6aaf8a9e96593c63590fde4c3e54911 a8a48aaae18c207ea100f70768657

contracts/interfaces/IDistribution.sol	2ad3a198a8ab4b833d1b3a13c0ae6c5fe6 1a871655c8af34074a395e5bf81fd6
contracts/NyanDoge.sol	6ca55eee5f932aed9eaa62b22bfefe7cfbe0 645d1f9daae9cab39d3053fb8836

Findings Breakdown



● Critical	0
● Medium	0
● Minor / Informative	11

Severity	Unresolved	Acknowledged	Resolved	Other
● Critical	0	0	0	0
● Medium	0	0	0	0
● Minor / Informative	11	0	0	0

Analysis

● Critical ● Medium ● Minor / Informative ● Pass

Severity	Code	Description	Status
●	ST	Stops Transactions	Passed
●	OCTD	Transfers Contract's Tokens	Passed
●	OTUT	Transfers User's Tokens	Passed
●	ELFM	Exceeds Fees Limit	Passed
●	ULTW	Transfers Liquidity to Team Wallet	Passed
●	MT	Mints Tokens	Passed
●	BT	Burns Tokens	Passed
●	BC	Blacklists Addresses	Passed

Diagnostics

● Critical ● Medium ● Minor / Informative

Severity	Code	Description	Status
●	MAP	Misleading Admin Permission	Unresolved
●	CR	Code Repetition	Unresolved
●	MVN	Misleading Variables Naming	Unresolved
●	AFI	Accumulated Fees Inconsistency	Unresolved
●	RSW	Redundant Storage Writes	Unresolved
●	IDI	Immutable Declaration Improvement	Unresolved
●	L02	State Variables could be Declared Constant	Unresolved
●	L04	Conformance to Solidity Naming Conventions	Unresolved
●	L13	Divide before Multiply Operation	Unresolved
●	L19	Stable Compiler Version	Unresolved
●	L20	Succeeded Transfer Check	Unresolved

MAP - Misleading Admin Permission

Criticality	Minor / Informative
Location	contracts/NyanDoge.sol#L22,107
Status	Unresolved

Description

The contract has a variable named `owner` that is initialized to zero address, creating ambiguity regarding the ownership structure. As a result, one might assume that the contract ownership is renounced. However, the contract uses an access control library that includes an admin role serving as the default owner.

This leads to confusion and misunderstanding about the actual owner of the contract.

```
address public owner = address(0);  
  
_setupRole(DEFAULT_ADMIN_ROLE, msg.sender);
```

Recommendation

It is recommended to remove the redundant `owner` variable and clearly document the usage of the access control library to define and manage ownership in the contract.

CR - Code Repetition

Criticality	Minor / Informative
Location	contracts/Distribution.sol#L188,273,293,319
Status	Unresolved

Description

The contract contains repetitive code segments. There are potential issues that can arise when using code segments in Solidity. Some of them can lead to issues like gas efficiency, complexity, readability, security, and maintainability of the source code. It is generally a good idea to try to minimize code repetition where possible.

```
require(_rewardSwapReceivers.length ==
_rewardSwapReceiversRate.length, "size");

uint256 totalRate = 0;
for (uint256 i = 0; i < _rewardSwapReceiversRate.length; i++) {
    totalRate += _rewardSwapReceiversRate[i];
}
require(totalRate == 10000, "rate");
```

Recommendation

The team is advised to avoid repeating the same code in multiple places, which can make the contract easier to read and maintain. The authors could try to reuse code wherever possible, as this can help reduce the complexity and size of the contract. For instance, the contract could reuse the common code segments in an internal function in order to avoid repeating the same code in multiple places.

MVN - Misleading Variables Naming

Criticality	Minor / Informative
Location	contracts/NyanDoge.sol#L41,394
Status	Unresolved

Description

Variables can have misleading names if their names do not accurately reflect the value they contain or the purpose they serve. The contract uses some variable names that are too generic or do not clearly convey the information stored in the variable. Misleading variable names can lead to confusion, making the code more difficult to read and understand.

The contract incorporates the capability to distribute burn fees among multiple addresses. On the contrary, the burn mechanism facilitates the transfer of tokens to a dead address for the purpose of burning them.

```
uint256 public burnFeeBuyRate;
uint256 public burnFeeSellRate;
uint256 public burnFeeTransferRate;
address[] public burnFeeReceivers;
uint256[] public burnFeeReceiversRate;

for (uint256 i = 0; i < burnFeeReceivers.length; i++) {
    _transferAmount(_from, burnFeeReceivers[i],
        _calcFee(burnFeeRes, burnFeeReceiversRate[i]));
}
```

Recommendation

It's always a good practice for the contract to contain variable names that are specific and descriptive. The team is advised to keep in mind the readability of the code.

AFI - Accumulated Fees Inconsistency

Criticality	Minor / Informative
Location	contracts/NyanDoge.sol#L223,312,338
Status	Unresolved

Description

The contract resets the accumulated fees variables without performing a distribution of the accumulated rewards. This creates an inconsistency between the actual accumulated tokens from the fees, as the reset effectively clears the stored values without properly accounting for their distribution.

```
function resetRewardsAmount() external
onlyRole(DEFAULT_ADMIN_ROLE) {
    rewardSellAmount = 0;
    rewardBuyAmount = 0;

    emit RewardsAmountReseted();
}

function resetLiquidityFee() external
onlyRole(DEFAULT_ADMIN_ROLE) {
    liquidityFeeAmount = 0;

    emit LiquidityFeeReseted();
}

function resetSwapFee() external onlyRole(DEFAULT_ADMIN_ROLE) {
    swapFeeAmount = 0;

    emit SwapFeeReseted();
}
```

Recommendation

It is recommended to perform proper distribution of the accumulated rewards before resetting the accumulated variables. This ensures that users receive their deserved rewards based on their interactions with the contract.

RSW - Redundant Storage Writes

Criticality	Minor / Informative
Location	contracts/NyanDoge.sol#L527
Status	Unresolved

Description

There are code segments that could be optimized. A segment may be optimized so that it becomes a smaller size, consumes less memory, executes more rapidly, or performs fewer operations.

The contract updates the excluded from Fee and Swap status of an account even if its current state is the same as the one passed as an argument. As a result, the contract performs redundant storage writes.

```
function setExcludedFromFee(address _address, bool
_isExcludedFromFee) public onlyRole(DEFAULT_ADMIN_ROLE) {
    excludedFromFee[_address] = _isExcludedFromFee;

    emit ExcludedFromFee(_address, _isExcludedFromFee);
}

function setExcludedFromSwap(address _address, bool
_isExcludedFromSwap) public onlyRole(DEFAULT_ADMIN_ROLE) {
    excludedFromSwap[_address] = _isExcludedFromSwap;

    emit ExcludedFromSwap(_address, _isExcludedFromSwap);
}
```

The contract updates the router address and the token1 address even if its current state is the same as the one passed as an argument. As a result, the contract performs redundant storage writes.

```
function _setRouterAndPair(IUniswapV2Router02 _router, address
_token1) internal {
    require(_token1 != address(0), "zero token1 address");

    address _pair =
    IUniswapV2Factory(_router.factory()).getPair(address(this),
_token1);

    if (_pair == address(0)) {
        _pair =
        IUniswapV2Factory(_router.factory()).createPair(address(this),
_token1);
    }

    router = _router;
    token1 = _token1;
    pair = _pair;
    isLpToken[pair] = true;
}
```

Recommendation

The team is advised to take these segments into consideration and rewrite them so the runtime will be more performant. That way it will improve the efficiency and performance of the source code and reduce the cost of executing it.

IDI - Immutable Declaration Improvement

Criticality	Minor / Informative
Location	contracts/NyanDoge.sol#L104,105,111
Status	Unresolved

Description

The contract is using variables that initialize them only in the constructor. The other functions are not mutating the variables. These variables are not defined as `immutable`.

```
name
symbol
distribution
```

Recommendation

By declaring a variable as immutable, the Solidity compiler is able to make certain optimizations. This can reduce the amount of storage and computation required by the contract, and make it more gas-efficient.

L02 - State Variables could be Declared Constant

Criticality	Minor / Informative
Location	contracts/NyanDoge.sol#L22
Status	Unresolved

Description

State variables can be declared as constant using the constant keyword. This means that the value of the state variable cannot be changed after it has been set. Additionally, the constant variables decrease gas consumption of the corresponding transaction.

```
address public owner = address(0)
```

Recommendation

Constant state variables can be useful when the contract wants to ensure that the value of a state variable cannot be changed by any function in the contract. This can be useful for storing values that are important to the contract's behavior, such as the contract's address or the maximum number of times a certain function can be called. The team is advised to add the constant keyword to state variables that never change.

L04 - Conformance to Solidity Naming Conventions

Criticality	Minor / Informative
Location	contracts/NyanDoge.sol#L125,129,134,138,143,153,158,166,175,181,187,207,215,230,240,250,266,272,292,318,344contracts/Distribution.sol#L14
Status	Unresolved

Description

The Solidity style guide is a set of guidelines for writing clean and consistent Solidity code. Adhering to a style guide can help improve the readability and maintainability of the Solidity code, making it easier for others to understand and work with.

The followings are a few key points from the Solidity style guide:

1. Use camelCase for function and variable names, with the first letter in lowercase (e.g., myVariable, updateCounter).
2. Use PascalCase for contract, struct, and enum names, with the first letter in uppercase (e.g., MyContract, UserStruct, ErrorEnum).
3. Use uppercase for constant variables and enums (e.g., MAX_VALUE, ERROR_CODE).
4. Use indentation to improve readability and structure.
5. Use spaces between operators and after commas.
6. Use comments to explain the purpose and behavior of the code.
7. Keep lines short (around 120 characters) to improve readability.

```
address _account
uint256 _amount
address _recipient
address _owner
address _spender
address _sender
uint256 _addedValue
uint256 _subtractedValue
address _lpToken
bool _lp
address _address
bool _isExcludedFromFee
bool _isExcludedFromSwap
address[] calldata _rewardSwapReceivers

...
```

Recommendation

By following the Solidity naming convention guidelines, the codebase increased the readability, maintainability, and makes it easier to work with.

Find more information on the Solidity documentation

<https://docs.soliditylang.org/en/v0.8.17/style-guide.html#naming-convention>.

L13 - Divide before Multiply Operation

Criticality	Minor / Informative
Location	contracts/NyanDoge.sol#L419,447
Status	Unresolved

Description

It is important to be aware of the order of operations when performing arithmetic calculations. This is especially important when working with large numbers, as the order of operations can affect the final result of the calculation. Performing divisions before multiplications may cause loss of precision.

```
uint256 liquidityFeeHalf = liquidityFeeAmount / 2
uint256 liquidityFeeToken1Amount = _calcFee(token1Balance,
liquidityFeeHalf * 10000 / amountToSwap)
```

Recommendation

To avoid this issue, it is recommended to carefully consider the order of operations when performing arithmetic calculations in Solidity. It's generally a good idea to use parentheses to specify the order of operations. The basic rule is that the multiplications should be prior to the divisions.

L19 - Stable Compiler Version

Criticality	Minor / Informative
Location	contracts/NyanDoge.sol#L2contracts/interfaces/IDistribution.sol#L2contracts/Distribution.sol#L2
Status	Unresolved

Description

The `^` symbol indicates that any version of Solidity that is compatible with the specified version (i.e., any version that is a higher minor or patch version) can be used to compile the contract. The version lock is a mechanism that allows the author to specify a minimum version of the Solidity compiler that must be used to compile the contract code. This is useful because it ensures that the contract will be compiled using a version of the compiler that is known to be compatible with the code.

```
pragma solidity ^0.8.2;
```

Recommendation

The team is advised to lock the pragma to ensure the stability of the codebase. The locked pragma version ensures that the contract will not be deployed with an unexpected version. An unexpected version may produce vulnerabilities and undiscovered bugs. The compiler should be configured to the lowest version that provides all the required functionality for the codebase. As a result, the project will be compiled in a well-tested LTS (Long Term Support) environment.

L20 - Succeeded Transfer Check

Criticality	Minor / Informative
Location	contracts/Distribution.sol#L15
Status	Unresolved

Description

According to the ERC20 specification, the transfer methods should be checked if the result is successful. Otherwise, the contract may wrongly assume that the transfer has been established.

```
IERC20(_token).transfer(_to, _amount)
```

Recommendation

The contract should check if the result of the transfer methods is successful. The team is advised to check the SafeERC20 library from the [Openzeppelin library](#).


Functions Analysis

Contract	Type	Bases		
	Function Name	Visibility	Mutability	Modifiers
Distribution	Implementation	IDistribution, AccessContr ol		
		Public	✓	-
	recoverTokensFor	External	✓	onlyRole
IDistribution	Interface			
	recoverTokensFor	External	✓	-
NyanDoge	Implementation	IERC20Meta data, AccessContr ol		
		Public	✓	-
	balanceOf	Public		-
	transfer	External	✓	-
	allowance	Public		-
	approve	External	✓	-
	transferFrom	External	✓	-
	increaseAllowance	External	✓	-
	decreaseAllowance	External	✓	-
	setLpToken	External	✓	onlyRole


	setExcludedFromFee	Public	✓	onlyRole
	setExcludedFromSwap	Public	✓	onlyRole
	setRewardSwapReceivers	External	✓	onlyRole
	setRewardSellRate	External	✓	onlyRole
	setRewardBuyRate	External	✓	onlyRole
	resetRewardsAmount	External	✓	onlyRole
	updateBuyRates	External	✓	onlyRole
	updateSellRates	External	✓	onlyRole
	updateTransferRates	External	✓	onlyRole
	resetCounter	External	✓	onlyRole
	setLimit	External	✓	onlyRole
	updateBurnFeeReceivers	External	✓	onlyRole
	updateLiquidityFeeReceivers	External	✓	onlyRole
	resetLiquidityFee	External	✓	onlyRole
	updateSwapFeeReceivers	External	✓	onlyRole
	resetSwapFee	External	✓	onlyRole
	setEnabledSwapForSell	External	✓	onlyRole
	_transfer	Internal	✓	
	_takeFees	Internal	✓	
	_transferAmount	Internal	✓	
	_mint	Internal	✓	
	_approve	Internal	✓	
	_setRouterAndPair	Internal	✓	

	_calcFee	Internal		
	_isSell	Internal		
	_isBuy	Internal		
	_swapTokensForToken1	Internal	✓	lockTheSwap
	_addLiquidity	Internal	✓	lockTheSwap

Inheritance Graph



Flow Graph



Summary

NyanDoge contract implements a token mechanism. This audit investigates security issues, business logic concerns, and potential improvements. NyanDoge is an interesting project that has a friendly and growing community. The Smart Contract analysis reported no compiler errors or critical issues. The Contract Owner can access some admin functions that can not be used in a malicious way to disturb the users' transactions. There is also a limit of a max 9% fee. Additionally, the contract has a fee limit mechanism. Moreover, it appears that the contract is falsely represented as being renounced, when in fact, it has not undergone the renouncement process.

Disclaimer

The information provided in this report does not constitute investment, financial or trading advice and you should not treat any of the document's content as such. This report may not be transmitted, disclosed, referred to or relied upon by any person for any purposes nor may copies be delivered to any other person other than the Company without Cyberscope's prior written consent. This report is not nor should be considered an "endorsement" or "disapproval" of any particular project or team. This report is not nor should be regarded as an indication of the economics or value of any "product" or "asset" created by any team or project that contracts Cyberscope to perform a security assessment. This document does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors' business, business model or legal compliance. This report should not be used in any way to make decisions around investment or involvement with any particular project. This report represents an extensive assessment process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

Blockchain technology and cryptographic assets present a high level of ongoing risk. Cyberscope's position is that each company and individual are responsible for their own due diligence and continuous security. Cyberscope's goal is to help reduce the attack vectors and the high level of variance associated with utilizing new and consistently changing technologies and in no way claims any guarantee of security or functionality of the technology we agree to analyze. The assessment services provided by Cyberscope are subject to dependencies and are under continuing development. You agree that your access and/or use including but not limited to any services reports and materials will be at your sole risk on an as-is where-is and as-available basis. Cryptographic tokens are emergent technologies and carry with them high levels of technical risk and uncertainty. The assessment reports could include false positives, false negatives and other unpredictable results. The services may access and depend upon multiple layers of third parties.

About Cyberscope

Cyberscope is a blockchain cybersecurity company that was founded with the vision to make web3.0 a safer place for investors and developers. Since its launch, it has worked with thousands of projects and is estimated to have secured tens of millions of investors' funds.

Cyberscope is one of the leading smart contract audit firms in the crypto space and has built a high-profile network of clients and partners.



The Cyberscope team

<https://www.cyberscope.io>